MOTORHOMES 2021 TECHNICAL DATA



FLOOR PLAN OVERVIEW

ELEMENT

















T 758 G	
Sleeping berths	2/4
Maximum weight increase kg	4.400
Total length mm	7.410

CRUISER



Maximum weight increase kg Total length mm



Maximum weight increase kg



Maximum weight increase kg



Important information

All accessory prices are for factory installation. Subsequent installations are subject to additional costs. Any change to the factory settings of your vehicle can lead to impairment of driving or road safety. The accessories recommended by us, and original spare parts have been specially developed for your vehicle. Accessories, fixtures, converted parts or built-in parts that have not been approved by LMC can cause damage to the vehicle and impair road safety. Even if there is an expert appraisal for the part at hand, a general operating licence for parts, or type-approval, there is no presumption of the proper condition of the product. Please understand that no liability can be assumed for damages caused by products that have not been approved by LMC, or caused by unauthorised modifications.

The dimensions in roadworthy order** correspond with series design without optional extras. Installation of optional extras increase the dimensions of the motorised caravan in roadworthy condition***, and the cargo load is reduced correspondingly***. Please take the weight of the optional extra into account with regard to the cargo load***

Changes to prices, technical data, fi xtures and furnishings, as well those regarding creative aspects, remain reserved. Information about scope of delivery, appearance and services, correspond to the information available at the time of printing. Deviations of +/- 5% are possible in measurement and weight data (measurements in running order). The cargo load*** derived there from can vary correspondingly. Our weight information complies with requirements of EU-guideline 661/2009 and VO (EU) 1230/2012.

* The indicated number of persons is dependent on weight and axle load. It may be reduced through installation of accessories and optional extras. The indicated number of persons refers to the vehicle weight in series production condition. It represents the maximum permissible number of persons that can have a seat during the drive. Depending on the model, this is only attainable by payload weight. The technically permissible total mass as well as axle loads must not be exceeded.

** This weight includes the driver's weight (75kg) and following mass of the vehicle with standard equipment according to manufacturer's specifications Liquids such as fuel and AdBlue (90%), fresh water (101/201), gas (1x 11kg + approx. 5kg bottle weight) at 100%, plus tools, tyre repair set and cable reel, without optional extras. This corresponds to a weight of approx. 191 kg to max. 212 kg.

*** The cargo load must not be exceeded by the number of passengers, their personal equipment and optional extras.

Footnotes

- 1) Only in combination with comfort seat covers. Special equipment; Heated seats.
- 2) Find more information about LLT in our catalogue or at www.lmc-caravan.de.
- 3) Only available in combination with second gas canister. The gas canister has an additional weight of 16 kg. Special equipment CPU with gas switch-over system and DuoControl with Crash Sensor.
- 4) No tent light above the body door. Special equipment awning with LED lighting.
- 5) With the pop-up roof special equipment, there is no skylight in the washroom. A washroom window is available as an option for floor plan T 662 G and V646 G. Also, there is no skylight and/or roof hood Midi Premium. Usage of the pop-up roof in winter is not recommended.
- 6) Only in combination with the pop-up roof. Button-on insulating mat in the pop-up roof. Not available in combination with hot water heating.
- 7) Eco-pack with 140 PS in combination with automatic transmission is mandatory. Special equipment automatic transmission.
- 8) With roof elements ensure that there is limited space for the mounting.

Depicted decorations are also not part of the scope of delivery. All information corresponds to the current status at the time of printing. We reserve the right to technical modification of the construction and outfitting, deviations to the colour, or mistakes, colour deviations are partially print or lighting related. Some illustrations include optional extras subject to extra cost.

All prices are recommended retail prices in Euros, incl. statutory value added tax ex works LMC. The validity of all previously published price lists expires with the publication of this price list

Valid from 01/08/2020.

ELEMENT

For newcomers



Standard Equipment

CHASSIS VARIATION

■ Cab in white paintwork/pasting series

ENGINE VARIATION

■ Ducato 35 2.3 I MJT - 3.500 kg (89 kw/120 HP) without Eco Pack

CHASSIS/COCKPIT

- ABS
- AdBlue Tank 191
- Armrests for driver and passenger seat ■ ASR + ESP
- Side mirrow extended
- Tyres 16"
- Car Computer
- Diesel particulate filter ■ Anti-Theft device
- Rotatable drivers and passenger seat
- Height-adjustable driver and passenger seat
- Driver airbag
- Electrically adjustable windows
- FIAT Ducato 35 with low frame
- Cup holder
- Halogen headlights ■ 751 diesel tank
- Radiator cowling ■ Charging converter
- (starting from 140 hp standard) ■ Height-adjustable steering wheel
- Wheel house isolation
- Wheel covers
- Tyre repair kit
- Emission standards/-class S4 (EURO 6d-TEMP)
- 6 speed manual transmission
- Headlights with black frame
- Power Steering
- Seat base cover drivers cab ■ Steel wheels
- Bumper paintet in body color
- Daytime running halogen light
- Widened rear axle
- Central locking for driver's and passenger door (with remote control)

CABINE EXTERIOR

- Cabin door with waste collector 70 cm ■ Windows fitted with multifunctional
- roller blinds ■ Coupé entry
- Roof hatch in kitchen/sleeping area ■ Roof hatch in the washroom
- Third brake light

- I owered chassis extension
- Rear garage door, passenger side (T 668 G, T 758 G)
- Panoramic roof window (queensbed) (T 608, T 748)
- Smooth aluminium sheet white for sidewall and rear
- Storage flap hatch passenger side (T 608, T 638, T 748)
- Awning light on body door

CABINE INTERIOR

- Three-point belts for opposite seating group (T 748, T 758 G)
- Three-point belts for half dinette (T 608, T 638, T 668 G)
- High-quality furniture construction with metallic decor surfaces
- Wood decor Almeria Ash
- Cold foam matresses for fixed beds
- Lighting in wardrobe
- Headrests in mid seating group ■ L-shaped seating with three-point belts
- Middle seat group converted to bed incl. table-leg lowerable (T 668 G)
- Upholstery Brown Coast
- PVC Flooring in tile look ■ Queensbed (T 608, T 748)
- Smoke alarm
- Sidewarded bed (T 638)
- Sitting group opposite (T 748, T 758 G) ■ Sitting group half dinette
- (T 608, T 638, T 668 G)
- Mirror on toilet door ■ Table foot rigid
- Table top hinged (T 748, T 758 G)
- Lashing rails with eyelets in rear garage
- Winter backrest/ventilated furniture construction
- Additional cushion for single beds (T 668 G, T 758 G)
- Additional cushion for extra bed (half dinette/drivers cab) (T 668 G)

MULTIMEDIA

- Radio preparation including speakers
- and active antenna DAB-compatible ■ TV ready (1x 12 V socket, 1x Cinch-AV)

- Drip tray/Dish rack
- Three burner stove with electric stroke ignition for each individual and glass cover (except T 668 G)

- Three burner stove with electric stroke ignition for each individual and glass cover with sink (stainless steel) (T 668 G)
- High quality fittings
- Fridge 142I (except T 608)
- Fridge 1451 (T 608)
- Drawers with soft-stop ■ Sink (stainless steel)

HEATING

- Heating warm air Combi 6 with panel CP plus
- 12 V heater fan
- WATER SUPPLY/WASHROOM
- Waste water tank 901 ■ Casette Toilet
- Fresh water tank with filler pipe 20/1251 ■ Backlit mirrow in toilet room
- High performance water pump
- Foldable laundry rod (shower/toilet room) ■ Toilet room with separate shower cabin or shower facility with shower door (T 638, T 668 G)
- 101 warm water boiler integrated into heating system
- Warm water mixer tap ■ Two-room sanitary area/separated toilet
- and shower area (T 608, T 748, T 758 G)

GAS/ELECTRICITY

- E230 V electrical socket with RCD and charger
- Gas system 30 mbar ■ Gas bottle box (for 2x 11kg)
- LED interior lighting
- Reading lights ■ Multifunctional panel
- Separate supply battery 95 Ah
- Service door (acces to the gas box) Power input sidewall
- 12 V power supply
- USB ports (3x in the mobil home/ 1x in the drivers cab)

LLT - LONG LIFE TECHNOLOGIE (2)

- 12-vears-tightness-warranty
- GRP-front, roof and rear ■ Fibreglass-material under floor
- High performance isulation core (underfloor)
- Underfloor construction with XPS-foam and PU struts





Technical Data

Chassis variation

FIAT low frame

Technical	data	vehicle

Total length

Total width

Interior width
Total height

Interior roof height max.

Wheelbase

Tyre size

Roof/sidewall/floor thickness (approx.)

Licensed seat no. (during travel)

Trailer load with technically permissible max. mass of 3.500 kg

Trailer load with technically permissible max. mass of 3.650 kg

Trailer load with technically permissible max. mass of 4.000 kg

Trailer load with technically permissible max. mass of $4.250\,\mathrm{kg}$

Trailer load with technically permissible max. mass of 4.400 kg

Maximum permissible total weight (standard)

Maximum weight increase

Empty weight (approx.)

Weight in drivable condition (with standard equipment)** (approx.)

Load with standard equipment/maximum payload upgrade*** (approx.)

Rear garage door/hatch on passenger

Bed dimensions/sleeping berths

Sleeping berths (fixed/after seating group conversion)

Bed dimensions centre seat area

Bed dimensions single bed rear driver's side

Bed dimensions single bed rear passenger's side


Bed dimensions rear after conversion to double bed

Bed dimensions side bed rear

Bed dimensions lifting bed front (optional)

Bed dimensions double bed rear

Bed dimensions additional cushion for extra bed



ELEMENT ■

•	•	•	•	•
6.980 mm	6.980 mm	6.980 mm	7.410 mm	7.410 mm
2.320 mm	2.320 mm	2.320 mm	2.320 mm	2.320 mm
2.180 mm	2.180 mm	2.180 mm	2.180 mm	2.180 mm
2.920 mm	2.920 mm	2.920 mm	2.920 mm	2.920 mm
2.120 mm	2.120 mm	2.120 mm	2.120 mm	2.120 mm
4.035 mm	3.800 mm	3.800 mm	4.035 mm	4.035 mm
225/75R16C	225/75R16C	225/75R16C	225/75R16C	225/75R16C
48,5/34/34	48,5/34/34	48,5/34/34	48,5/34/34	48,5/34/34
4	4	4	4	4
2.000 kg	2.000 kg	2.000 kg	2.000 kg	2.000 kg
1.950 kg	1.950 kg	1.950 kg	1.950 kg	1.950 kg
1.850 kg	1.850 kg	1.850 kg	1.850 kg	1.850 kg
1.800 kg	1.800 kg	1.800 kg	1.800 kg	1.800 kg
1.750 kg	1.750 kg	1.750 kg	1.750 kg	1.750 kg
3.500 kg	3.500 kg	3.500 kg	3.500 kg	3.500 kg
4.400 kg	4.400 kg	4.400 kg	4.400 kg	4.400 kg
2.720 kg	2.724 kg	2.725 kg	2.860 kg	2.865 kg
2.921kg	2.925 kg	2.926 kg	3.061kg	3.066 kg
579 kg/1.439 kg	575 kg/1.435 kg	574 kg/1.434 kg	439 kg/1.299 kg	434 kg/1.294 kg
800 x 800 mm	730 x 980 mm	980 x 1.200 mm	800 x 800 mm	980 x 1.200 mm
	_			
2/3/5**	2/3/5*	2/3/4***	2/4***	2/4***
-	207 x 119/90 cm	-	206 x 120/87 cm	206 x 120/87 cm
-		199 x 80 cm	-	208 x 80 cm
-	-	192 x 80 cm	-	203 x 80 cm
-		199/169/192×211 cm	-	208/181/208 x 211 cn
-	201 x 134/85 cm	-	-	-
200 x 135 cm	200 x 135 cm	200 x 84 cm	200 x 140 cm	200 x 140 cm
188 x 145 cm	-	-	190 x 148 cm	-
170 x 115/52 cm	-	170 x 115/52 cm	_	_

- * 3. Sleeping spot: Accessories "Centre seat area can be converted into a bed: 1 additional sleep spot 5. Sleeping spot: Accessory "Lifting bed above centre seat area": 2 additional sleeping spots
- ** 3. Sleeping spot: Accessory "Additional cushion for extra bed": 1 additional sleeping spot (bed construction: Dinette in combination with the driver's seat) 5. Sleeping spot: Accessory "Lifting bed above centre seat area": 2 additional sleeping spots
- *** 4. Sleeping spot: Accessory "Lifting bed above centre seat area": 1 additional sleeping spot

^{****} Accessory "Lifting bed above centre seat area": 2 additional sleeping spots or "Convertible centre seat group": 2 additional sleeping spots

AVANTGARDE-PACKAGE (AVP)

- Mini Premium skylight 40 x 40 cm (8)
- Comfort steeble cap covers
- Skylight in t-dome (big)
- Preparation SAT, climate, solar including roof enhancement
- Cabin door with windows, fly-screen door, waste collector and central locking 70 cm
- Decorative pillows (4 pieces)
- Ambience lightning (underneath the worktop and work units)

Package weight 35,5 kg

CHASSIS-COMFORT-PACKAGE (CKP)

- Electric and heated exterior mirrors
- Passenger airbag
- Automatic air conditioning (drivers cab)
- Multifunctional steering wheel with control element
- Cruise control
- Traction+

Package weight 25 kg

CHASSIS-DESIGN-PACKAGE (CDP)

- Aluminium rims 16"
- Dash board panel with aluminium decor application
- High-level-instrument paneling in chrome appearance
- Steering wheel and gear shift with leather finish
- Skid Plate polished black
- Daytime running light LED (semi-integrated)

Package weight 5,5 kg

DRIVE-ASSITANCE-PACKAGE PLUS (FAP)

- AEBS Assistance (Emergency Brake, Lane Departure Warning, High Beam Assistant, Traffic sign recognition, rain and light sensor)
- Tire pressure sensors

Package weight 1kg

WINTERPACKAGE (HOT AIR HEATING) (WPT)

- Crash Protection Unit (CPU) with switchover (3)
- Heating hot air (with electrical cartridge heater)
- Winter cover for fridge ventilation outlet
- Electric underfloor tempering (in conjunction with hot air heating)
- Waste water tank insulated with 2 heating spirals

Package weight 13 kg



Optional extra

Engine variation	Order-no.	kg
Ducato 35 2.31 MJT - 3.500 kg (103 kw/140 HP) without Eco Pack	10670/10659	0
Ducato 35 2.31 MJT - 3.500 kg (118 kw/160 HP) with Eco Pack	10671/10660	16,5
Ducato 35 2.31 MJT - 3.500 kg (130 kw/178 HP) with Eco Pack	10672/10661	16,5
Ducato 40 2.3 I MJT - 4.000 kg (103 kw/140 HP) without Eco Pack	10673/10666	40
Ducato 40 2.31 MJT - 4.000 kg (118 kw/160 HP) with Eco Pack	10674/10667	56,5
Ducato 40 2.31 MJT - 4.000 kg (130 kw/178 HP) with Eco Pack	10675/10668	56,5
Eco Pack (Start-Stop operation) - optional for engine with 103 kw/140 HP (7)	10735	1,5
9 speed automatic transmission with Eco Pack (not possible with 120 HP) (7)	10736	18

T 608	T 638	T 668 G	T 748	T 758 G

■ Standard equipment ☐ Optional extra ● Included in one of the packages - not available

Optional extra

Chassis/Cockpit Chassis/Cockpit	Package	Order-no.	kg
ncrease in max. permitted mass 3,65 t/4,25 t (depending on the chassis)	-	10769/1633	0
ncrease in max. permitted mass 4.4t (depending on the chassis)	-	9233	0
Fold-roll-system drivers cab	-	434	8
901 diesel tank	-	1332	11
Fog lamp in front spoiler	-	8866	2
Spare wheel	-	6343	21,5
Spare wheel holder in rear garage	-	6277	2
Seat heating driver and passenger seat (1)	-	6461	1
Cabine exterior	Package	Order-no.	kg
Towbar for chassis extension including electric cabel set	-	273	50
Midi Premium skylight 70 x 50 cm (above the kitchen without lift bed) (8)	-	246	5
Midi Premium skylight 70 x 50 cm (above sleeping area with lift bed) (8)	-	246	5
Skylight omnivent in bathroom (8)	-	7507	3,5
Roof air conditioning (cooling and heating) (8)	-	7712	33
Bicycle holder for 3 bikes	-	938	11
Bicycle holder for 4 bikes	-	815	12
Additional rear garage door driver's side (single bed and queensbed height-adjustable)	-	331	7,5
Crank-/fold stakes rear	-	390	8,5
Frame window with multifunctional blinds	-	7223/6245	2
Sun awning with LED lights 4,00×2,50 m (wall fastening) (4)	-	10979	40
Sun awning with LED lights 4,50 x 2.50 m (wall fastening) (4)	-	10980	45
Storage door driver's side (with queensbed rigid)	-	10977	5
Cabine interior	Package	Order-no.	kg
Fly-screen door	AVP	781	3
Lift bed electric (semi-integrated)	-	9764	36
Isofix child seat preparation incl. table-leg lowerable	-	9760	11
L- seat group with three-point belt	-	9607	5
Middle seat group converted to bed	-	1944	10
Queensbed height-adjustable	-	10978	34
Slip cover (double bed)	-	7049	2
Slip cover (single beds)	-	7049	2
Slip cover (sidewarded bed)	-	7049	2
Carpet for cockpit chained	-	936 851	8
Carpet chained for living space Safe living space	-	323	5
Multimadia	Dealerna	Oudou	ka
Multimedia Dubble DIN radio with DAR+ with Navigation	Package	Order-no.	kg 3
Dubble DIN radio with DAB+ with Navigation Dubble DIN radio with DAB+ without Navigation	-	10351 10350	3
Dubble DIN radio with DAB+ without Navigation LED TV HD 22" with DVD (only in connection with SAT system)	-	1799	4
Rear view camera with cabel and without monitor	-	8091	2
Rear view camera with cabel and without monitor SAT System 65 cm (automatic) (8)		8091	9
TV holder for flat screen (to 22")	-	325	1,5
· ´			
Kitchen Pull-out in kitchen base unit	Package -	Order-no. 10981	kg 5
Kitchen gadget on side wall	-	10982	1
Storage system in kitchen drawer	-	10983	0,5
Heating	Package	Order-no.	kg
Heating hot air (with electrical cartridge heater)	WPT	330	2
Water supply/Washroom	Package	Order-no.	kg
Outside shower with mixer tap	- achage	6347	3
Wooden shower inlay	-	1657	2
Gas/Electricity	Package	Order-no.	kg
Battery 95 Ah AGM additionally	- achage	1884	30
Remote display for Crash Protection Unit	-	9757	1
Gas outside plug socket with gate valve	-	878	1
Gas detector	-	321	1
Net Box (app control) for heating and air conditioning	-	8103	1
The court of the control of the			
Cable laying for rear view camera	-	277	1,5

T 608	T 638	T 668 G	T 748	T 758 G
			- -	
	•		•	•
-	-	-	-	-
	-	-	-	•

CRUISER

For the relaxed traveller





Standard Equipment

CHASSIS VARIATION

■ Cab in white paintwork/pasting series

ENGINE VARIATION

■ Ducato 35 2.3 | MJT - 3.500 kg (89 kw/120 HP) without Eco Pack

CHASSIS/COCKPIT

- ABS
- AdBlue Tank 191
- Armrests for driver and passenger seat
- ASR + ESP Traction+
- Side mirrow extended
- Tyres 16"
- Car Computer
- Diesel particulate filter ■ Anti-Theft device
- Rotatable drivers and passenger seat
- Height-adjustable driver and passenger seat
- Driver airbag
- Electrically adjustable windows
- FIAT Ducato 35 with low frame
- Cup holder
- Halogen headlights ■ 751 diesel tank
- Radiator cowling
- Synthetic leaf spring
- Charging converter
- Height-adjustable steering wheel
- Wheel house isolation
- Wheel covers ■ Tyre repair kit
- Emission standards/-class S4 (EURO 6d-TEMP)
- 6 speed manual transmission
- Headlights with black frame ■ Power Steering
- Seat base cover drivers cab
- Steel wheels
- Bumper paintet in body color
- Daytime running halogen light
- Widened rear axle
- Central locking for driver's and passenger door (with remote control)

CABINE EXTERIOR

- Cabin door with windows and central locking 58 cm (V 646 G)
- Cabin door with windows and central locking 70 cm (T 662 G, T 732 G)
- Windows fitted with multifunctional roller blinds
- Ceiling lights (dimmable)
- Third brake light
- Lowered chassis extension for increased payload of 250 kg
- Rear garage door, passenger side
- Transparent roof hatche with combi-blinds and integrated lights
- Awning light on body door

CABINE INTERIOR

- Floor storage room
- Three-point belts for opposite seating group
- 3-point-belt in L-sitting group (T 662 G, T 732 G)
- Cold foam matresses for fixed beds
 Lighting in wardrobe (T 662 G, T 732 G)
- Headrests in mid seating group
- Slatted Frame in fixed bed
- L-shaped seating with three-point belts
- (T 662 G, T 732 G)
- Upholstery Zorba Stone
- Smoke alarm
- Sitting group half dinette (V 646 G)
- Table foot lowered
- Lashing rails with eyelets in rear garage
- Winter backrest

MULTIMEDIA

- Radio preparation DAB-compatible including speakers in the living area
- Rear view camera integrated in the roof spoiler
- TV ready (2x 12 V socket, 1x Cinch-AV)

- Three burner stove with electric stroke ignition for each individual and glass cover
- Three burner stove with electric stroke ignition for each individual, integrated sink and two split glass cover (T 662 G, V 646 G) ■ Fridge 110 I (V 646 G)
- Fridge 140 | Smarttower (T 662 G, T 732 G)
- Storage system in kitchen drawer
- Drawers with soft-stop
- Sink with glass cover (T 732 G)

■ Heating warm air Combi 6 with panel CP plus ■ 12 V heater fan

WATER SUPPLY/WASHROOM

- Waste water tank 951
- Hinged window washroom (T 732 G)
- Heated and insulated fresh and
- waste water tanks
- Casette Toilet
- Fresh water tank with filler pipe 10/1021
- Foldable laundry rod (shower/toilet room)
- Toilet room with separate shower cabin or shower facility with shower door (T 662 G, V 646 G)
- 10 I warm water boiler integrated into heating system
- Warm water mixer tap
- Centralized supply and disposal unit
- Two-room sanitary area/separated toilet and shower area (T 732 G)

GAS/ELECTRICITY

- 230 V electrical socket with RCD and charger
- Gas system 30 mbar
- Gas bottle box (for 2x 11kg)
- Indirect lighting (T 662 G, T 732 G)
- iNet Box (remote control app)
- LED interior lighting
- Reading lights
- Multifunctional panel ■ Separate supply battery 95 Ah
- Service door (acces to the gas box)
- Power input sidewall ■ 12 V power supply
- USB ports (2x in the entrance area/2x flexible)

LLT - LONG LIFE TECHNOLOGIE (2)

- 12-years-tightness-warranty
- GRP-front, roof and rear ■ Fibreglass-material under floor
- High performance isulation core (underfloor) ■ Underfloor construction with XPS-foam





Technical Data







Chassis variation

FIAT low frame

Technical data vehicle		
Total length		
Total width		
Interior width		
Total height		
Interior roof height max.		
Wheelbase		
Tyre size		

Roof/sidewall/floor thickness (approx.) Licensed seat no. (during travel)

Trailer load with technically permissible max. mass of 3.500 kg Trailer load with technically permissible max. mass of 3.650 kg Trailer load with technically permissible max. mass of 4.000 kg

Trailer load with technically permissible max. mass of 4.250 kg Trailer load with technically permissible max. mass of 4.400 kg

Maximum permissible total weight (standard)

Maximum weight increase Empty weight (approx.)

Weight in drivable condition (with standard equipment)** (approx..)

Load with standard equipment/maximum payload upgrade*** (approx.)

Rear garage door/hatch on passenger

Bed dimensions/sleeping berths Sleeping berths (after seat area/pop-up roof conversion) Bed dimensions centre seat area Bed dimensions single bed rear driver's side Bed dimensions single bed rear passenger's side Bed dimensions rear after conversion to double bed

Bed dimensions pop-up roof Bed dimensions additional cushion for extra bed

T 662 G	T 732 G	V 646 G	
•	•	•	
6.990 mm	7.550 mm	6.760 mm	

•		
6.990 mm	7.550 mm	6.760 mm
2.320 mm	2.320 mm	2.220 mm
2.180 mm	2.180 mm	2.180 mm
2.690 mm	2.690 mm	2.690 mm
1.980 mm	1.980 mm	1.980 mm
4.035 mm	4.300 mm	3.800 mm
225/75R16C	225/75R16C	225/75R16C
40/30/30	40/30/30	40/30/30
4	4	4
2.000 kg	2.000 kg	2.000 kg
1.950 kg	1.950 kg	1.950 kg
1.850 kg	1.850 kg	1.850 kg
1.800 kg	1.800 kg	1.800 kg
1.750 kg	1.750 kg	1.750 kg
3.500 kg	3.500 kg	3.500 kg
4.400 kg	4.400 kg	4.400 kg
2.724 kg	2.869 kg	2.569 kg
2.915 kg	3.060 kg	2.760 kg
585 kg/1.432 kg	440 kg/1.287 kg	740 kg/1.587 kg
905 x 1.100 mm	905 x 1.100 mm	805 x 1.100 mm
2/3/5*	2/3/5*	2/3/5*
-	-	200 x 80/50 cm
196 x 80 cm	191 x 80 cm	193×80 cm
196×80 cm	206 x 80 cm	193×80 cm
196/182/196 x 208 cm	191/179/206 x 208 cm	193/144/193 x 198 cm
234 x 133 cm	234 x 133 cm	234 x 133 cm
160 x 122/105 cm	160 x 122/105 cm	-

14 15

^{* 3.} Sleeping spot: Accessory "Additional cushion for extra bed": 1 additional sleeping spot (bed construction: Dinette in combination with the driver's seat) or accessory "Centre seat group convertible": 1 additional sleep spot 5. Sleeping spot: Accessory "pop-up roof": 2 additional sleeping spots

- Fly-screen door
- Comfort steeble cap covers
- Midi Premium skylight 70 x 50 cm

AVANTGARDE-PACKAGE

■ Skyroof cab

(AVP)

- Step sill for driver entry doors
- Preparation SAT, climate, solar including roof enhancement

Package weight 27,5 kg

CHASSIS-COMFORT-PACKAGE (CKP)

- Electric and heated exterior mirrors
- Passenger airbag
- Automatic air conditioning (drivers cab)
- Multifunctional steering wheel with control element
- Cruise control

Package weight 24,5 kg

CHASSIS-DESIGN-PACKAGE (CDP)

- Aluminium rims 16"
- Dash board panel with aluminium decor application
- High-level instrument paneling in chrome appearance
- Steering wheel and gear shift with leather finish
- Skid Plate polished black
- Daytime running light LED (semi-integrated)

Package weight 5,5 kg

DRIVE-ASSITANCE-**PACKAGE PLUS** (FAP)

- AEBS Assistance (Emergency Brake, Lane Departure Warning, High Beam Assistant, Traffic sign recognition, rain and light sensor)
- Tire pressure sensors
- Package weight 1kg

WINTER-PACKAGE (HOT AIR HEATING) (WPT)

- DuoControl with crashsensor (3)
- Ice-Ex and remote indication (only in conjunction with DuoControl)
- Warm water underfloor tempering (in conjunction with hot air heating)
- Heating hot air (with electrical cartridge heater)
- Winter cover for fridge ventilation outlet

Package weight 12,5 kg

WINTER-PACKAGE (HOT WATER HEATING) (WPA)

- DuoControl with crashsensor (3)
- Ice-Ex and remote indication (only in conjunction with DuoControl)
- Warm water underfloor tempering (in conjunction with hot water heating)
- Heating hot water in conjunction with recuperator
- Winter cover for fridge ventilation outlet

Package weight 60,5 kg







CRUISER ■

17

Optional extra

Engine variation	Order-no.	kg
Ducato 35 2.3 MJT - 3.500 kg (103 kw/140 HP) without Eco Pack	10670/10986/10658	0
Ducato 35 2.31 MJT - 3.500 kg (118 kw/160 HP) with Eco Pack	10671/10988/10661	16,5
Ducato 35 2.31 MJT - 3.500 kg (130 kw/178 HP) with Eco Pack	10672/10988/10661	16,5
Ducato 40 2.31 MJT - 4.000 kg (103 kw/140 HP) without Eco Pack	10673/10989/10666	40
Ducato 40 2.31 MJT - 4.000 kg (118 kw/160 HP) with Eco Pack	10674/10990/10667	56,5
Ducato 40 2.31 MJT - 4.000 kg (130 kw/178 HP) with Eco Pack	10675/10991/10668	56,5
Eco Pack (Start-Stop operation) - optional for engine with 103kw/140HP (7)	10735	1,5
9 speed automatic transmission with Eco Pack (not possible with 120 HP) (7)	10736	18

T 662 G	T 732 G	V 646 G

■ Standard equipment □ Optional extra • Included in one of the packages

Optional extra

Chassis/Cockpit Chassis/Cockpit	Package	Order-no.	kg
Increase in max. permitted mass 3,65 t/4,25 t (depending on the chassis)	-	10769/1633	0
ncrease in max. permitted mass 4.4t (depending on the chassis)	-	9233	0
Fold-roll-system drivers cab	-	434	8
90 I diesel tank	-	1332	11
Fog lamp in front spoiler	-	8866	2
Spare wheel	-	6343	21,5
Spare wheel holder in rear garage	-	6277	2
Seat heating driver and passenger seat (1)	-	6461	1
Cabine exterior	Package	Order-no.	kg
Towbar for chassis extension including electric cabel set	-	273	50
Pop up roof (5) (8)	-	6546	120
Pop up roof - enterieur isolation (6)	-	6431	2
Roof air conditioning (cooling and heating) (8)	-	7712	33
Bicycle holder for 3 bikes	-	938	11
Bicycle holder for 4 bikes	-	815	12
Additional rear garage door driver's side	-	331	7,5
Crank-/fold stakes rear	-	390	8,5
Frame window with multifunctional blinds	-	7223/6245	2
Sun awning 6200 4,00 x 2,50 m (roof fastening)	-	1646	45
Sun awning 9200 4,00 x 3,00 m (roof fastening)	-	1646	50
Sun awning 9200 4,50 x 3,00 m (roof fastening)	-	1646	55
Cabine interior	Package	Order-no.	kg
Middle seat group converted to bed	-	1944	10
Bedspread single bed	-	8206	3
Storage system inside rear garage	-	6276	3
Carpet for cockpit chained	-	936	3
Carpet chained for living space	-	851	8
Bedding for shake-down	-	339	5
Multimedia	Package	Order-no.	kg
Dubble DIN radio with DAB+ with navigation software	-	11500	3
Dubble DIN radio with DAB+ without navigation software	-	11499	3
LED TV HD 22" with DVD	-	1799	4
SAT System 65 cm (automatic) (8)	-	8079	9
TV holder for flat screen (to 22")		325	1,5
Kitchen	Package	Order-no.	kg
Oven in kitchen unit (runs on gas)	-	719	12
Oven above refrigerator (runs on gas)	-	6617	12
Exhaust hood		344	2
Heating	Package	Order-no.	kg
Underfloorheating in cockpit (heating mats)	-	9761	2,5
Heating hot water in conjunction with recuperator	WPT	330	2
Water supply/Washroom	Package	Order-no.	kg
Hinged window washroom	-	1868	3
Outside shower with mixer tap	-	6347	3
Wooden shower inlay		1657	2
Gas/Electricity	Package	Order-no.	kg
Additional battery 95 Ah AGM	-	1884	30
DuoControl with crashsensor	WPT/WPA	1577	1
ce-Ex and remote indication (only in conjunction with DuoControl)	WPT/WPA	6374	1
23 LA G. G. Total Conference of Conference of Will Duocontrol	VVI 1/ VVI /\		1
Gas plug with gate valve in gas bottle box			
Gas plug with gate valve in gas bottle box Gas detector	-	11496 321	1

T 662 G	T 732 G	V 646 G
	- - - - - -	
	- - -	
•	•	•
	- - -	
- • •	□ ● ● □	□ ● ■ □

