





A CARAVAN AS FLEXIBLE AS LIFE ITSELF

Whether you're touring as a couple, a family of four or a group of six – our "Vivo" model range offers plenty of space. With its five layouts, it is the all-rounder amongst our caravans and ideal for those who appreciate comfort. Depending on the layout, the high level of living comfort is due to a maximum vehicle width of 2.52 metres, a generously-sized curved lounge and a high user payload. A particular highlight is the 580 D, which is designed for two people and comes with an end washroom, a front kitchen and panoramic windows.

We at LMC develop travel companions for your family holiday. We always approach the design process with an open mind and passionate commitment. Thanks to our many years of experience and our highly-skilled workforce, we always think one step further and carefully observe the latest trends. Discover our more sophisticated caravan model range: the LMC Vivo.



FUNCTIONAL FEATURES AND MODERN DESIGN WITH ATTENTION TO DETAIL

Inside, the Vivo looks fresh and welcoming with light furniture and warm wood shades. Thanks to the strip light above the overhead lockers, the beige hue of the unit fronts creates a cosy ambience. The generously-sized mid-vehicle lounge is roomy enough for spending some quality time with the whole family. It still leaves enough space for the kids to run around in when they can't go outside due to inclement weather.

It's important to us that you feel comfortable whilst travelling. Your holidays are the most precious time of the year for you; we therefore do everything we can to provide you with a high-quality, safe and attractive companion. For wonderful moments with your loved ones.





EXCELLENT HABITATION SPACE UTILISATION FROM FRONT TO END

Numerous storage compartments, softclose overhead lockers all the way round, seating that can be folded out of the way – in the Vivo, every last inch of room is utilised to perfection. Use the reading spotlights integrated into the lounge seating for a particularly cosy and quiet ambience. The flexible number of berths illustrates the generous spaciousness: depending on the layout, up to six people can sleep in the Vivo.

Thanks to its compact size, our Vivo model range looks particularly comfortable and solid.



COOK DELICIOUS MEALS WITH A VIEW

Preparing meals here is a joy. The light-coloured, spacious front kitchen (580 D) impresses with numerous super-sized drawers and a 141 I refrigerator – plenty of space for fresh ingredients and groceries! Besides the high-quality three burner hob with integrated sink, the kitchen offers enough workspace as well as room on the counter top for putting down kitchen utensils.

In some layout versions, the worktop can conveniently be extended when needed. Integrated smoke alarms ensure that you feel safe on holiday.

The 580 D layout designed for couples has a more exclusive character, with an end washroom that extends across the full width of the vehicle and a kitchen at the front.



ROOM CONCEPTS EVERYONE WILL FEEL COMFORTABLE IN





INTERIOR HIGHLIGHTS

- Single, double or bunk beds each version offers outstanding sleeping comfort thanks to cold foam mattresses.
- Each to their own: The children's and the living area can easily be separated with a practical folding room divider.

- End kitchen with a panoramic window and a fantastic view across the outside makes cooking a special highlight (580 D).
- The rooms end washroom with a separate shower and a practical swivel toilet (580 D) is particularly spacious.
- Numerous skylights and the hinged window at the front or end ensure your home-from-home is flooded with light.





WONDERFULLY SMART AND CLEVER!







CLEVER SOLUTIONS

- 1. The simple lounge extension creates even more comfort.
- 2. Additional space: The optional pop-top roof creates two additional sleeping berths without reducing the interior space.
- The curved lounge offers space for close and cosy socialising.
- The practical swivel toilet makes comfortable access to the washroom easier.

FOR AN EXTRA PORTION OF COMFORT







- 3. Automotive, three-part front end made from ABS plastic
- 4. Gas bottle storage box cover with gas spring

UPHOLSTERY

EXTERIOR

HIGHLIGHTS











FEATURES


















520 E Total length cm





522 K Total length cm 812 Total width cm 252 Sleeping berths 4 - 6




530 K

Total length cm	814
Total width cm	23
Sleeping berths	4 -










580 D





STANDARD EQUIPMENT AND PACKAGES

CHASSIS

- Premium-Chassis
- Stability supports / heavy duty supports
- Diagonal swing axle
- Steel wheels
- Wheel shock absorbers
- Tow bar cover
- Automatic brake adjustment
- Anti-sway coupling

CABINE EXTERIOR

- Hinged window (kitchen)
- Service hatch 1.000 x 420 mm front right (lavout-dependent)
- Roof hatch 280 x 280 mm in childrens
- Service hatch 350x 650 mm front left (lavout-dependent)
- Service hatch 560 x 1.150 mm front right (garage door) (layout-dependent)
- Service hatch 1.000 x 420 mm rear right (layout-dependent)
- Hinged window, rear, 700 x 400 mm (lavout-dependent)
- Comfort-entrance-door incl. rubbish bin
- Garage door (layout-dependent)
- Third breaking light
- Hinged window with combi-rollo
- Sidewall hammer finish sheet
- Roof hub 400 x 400 mm
- Roof hub 280 x 280 mm (washroom)
- Automotive tail light
- Hinged window, rear, 1.450 x 520 mm (lavout-dependent)
- Extra wide entrance door 70 cm (on all models 2.5 m wide)
- Bottle holder with access from outside
- Hinged window, front, 1.515 x 593 mm (layout-dependent)

- Roof hub
- Panorama roof (layout-dependent)
- Spare wheel holder in bottle box
- Bottle holder with hydraulic shock absorbers

CABINE INTERIOR

- Storage cupboard
- Roll-out-bed (layout-dependent)
- Washroom door with household fitting
- Wall-cupboard flaps softclose
- Seating group extension
- Towel hook
- Mirror
- Wall-cupboard flaps around the full circumference
- Bunk bed load 80 kg (layout-dependent)
- Cold foam mattresses in single and double bed
- Winterised wall ventilation
- Table with pillar for roung seating goup (layout-dependent)
- Warderobe front
- Hydraulic lift for fixed beds
- Cold foam mattress in bunk beds
- Modern entrance area with storage place and integrated TV-place (layoutdependent)
- Foldable upholstery

KITCHEN

- Three burner stove with integrated sink
- Side splash guards (layout-dependent)
- Big drawer
- Hinged extension of kitchen worktop (layout-dependent)
- Drawers with self retraction and softclose
- Drawer with cutlery application
- Fridge 141 ltr. (layout-dependent)
- Sink with glass cover

HEATING

- Heating warm air 3004 S (layoutdependent)
- Heating warm air 5004 S (from total width 2.526 mm)
- Air circulation system 230 V

WATER SUPPLY

- Bank toilet with electrical flushing (layoutdependent)
- Freshwater tank 44 ltr.
- Central waste water drainage
- Water hygienic silver pearls
- Washbasin

GAS/ELECTRICITY SUPPLY

- Feed-in socket CEE 230 V
- Indirect lighting
- 12 V lighting with 400 W transformer
- LED awning lighting
- LED home lighting
- Bed lighting
 - Smoke alarm ■ Central electrical supply 230 V
 - Jäger system (13 pole)
 - Reading lights
 - Air circulation and cable covers in bed bins
 - USB sockets (2 pieces)

LONG LIFE TECHNOLOGY

- 12-years-tightness-warranty
- Roof and front / rear section in GRP
- Fibreglass-material under floor
- High-performance insulation core ■ Under floor with XPS-foam an PU-struts

HEATING (APU) ■ 12 V ventilation system

AUTARCHY PACKAGE HOT-AIR

- Battery 95 AH AGM
- Accu
- Voltage indicator for battery
- 12 V main switch
- Package weight 35.5 kg

AUTARCHY PACKAGE HOT WATER **HEATING (APW)**

- Battery 95 AH AGM
- Accu
- Voltage indicator for battery
- 12 V main switch
- Package weight 32.5 kg

EXCLUSIVE PACKAGE (EXP)

- Therme for hot water supply
- Mosquito net door
- Comfort-entrance-door with window incl. rubbish bin

Package weight 7 kg

LUXURY PACKAGE (LP)

SHOWER PACKAGE (DUP)

Shower fitting

■ Shower curtain

Shower basin

■ Wooden shower inlay

Package weight 6 kg

- Holding tank 25 ltr. with wheels
- Display for freshwater tank
- Midi premium skylight 960 x 655 mm
- Package weight 15 kg

12 V SUPPLY PACKAGE (VP)

- Accu
- Battery-box (without battery)
- 12 V ventilation system
- 12 V main switch
- Voltage indicator for battery Package weight 10.5 kg

WINTER PACKAGE HOT WATER HEATING (WPW)

- Double floor (bed and sitting hutches)
- DuoControl with crash sensor
- Eis EX with monitor (only in combination with DuoControl)
- Warm water heating
- Winter cover for fridge ventilation outlet
- Inside waste water drainage with isolated valve
- Package weight 90 kg

HOT-AIR HEATING WINTER PACKAGE (WPU)

- Double floor (bed and sitting hutches)
- DuoControl with crash sensor
- Eis EX with monitor (only in combination with DuoControl)
- Electrical floor heating 230 V
- Inside waste water drainage with isolated valve
- Winter cover for fridge ventilation outlet

Package weight 35 kg

Berths Front Middle

Rear Bunk bed

TECHNICAL DATA VEHICLE Total length (cm) Exterior length (cm) Interior length (cm) Total width (cm) Interior width (cm) Interior roof height max. (cm) Total height (cm) Empty weight (kg) Weight in drivable condition (with standard equipment) (kg) 1) Payload standard/maximum load (kg) ²⁾ Maximum permissible total weight (kg) Roof thickness (mm) Sidewall thickness (mm) Floor thickness (mm) Awning size (cm) BED DIMENSIONS/SLEEPING BERTH

520 E	522 K	530 K	532 K	580 D
805	812	814	844	789
683	679	682	726	650
626	622	625	669	588
232	252	232	252	232
218	238	218	238	218
195	195	195	195	195
257	257	257	257	257
1361	1401	1336	1508	1326
1397	1437	1372	1544	1362
203	363	228	256	238
1600	1800	1600	1800	1600
30	30	30	30	30
30	30	30	30	30
40	40	40	40	40
1063	1078	1081	1106	1049
2 - 4	4 - 6	4 - 6	4 - 6	2 - 3
200 - 200 x 88 - 88	200 x 164 - 131	200 - 190 x 88 - 84	210 - 205 x 88 - 85	-
-	205 x 141	180 x 122	180 x 121	170 x 67 - 2
201 - 151 x 191 - 126	-	-	-	200 x 135 - 110
-	200 - 197 x 82 - 78	212 - 208 x 81 - 78	197 - 200 x 78 - 82	-

OPTIONAL EQUIPMENT

Maximum chassis weight 1700 kg / 1800 kg Chassis 778/2 6 Maximum chassis weight 11800 kg / 1800 kg Chassis 279 6 Maximum chassis weight 1900 kg / 2000 kg chassis 10 394 10 Maximum chassis weight 12000 kg / 2000 kg Chassis (challurinum rims) 158 10 Dazier wheel with aluminum rim for 2000 kg chassis (challer under chassis) 1092 12 Muminum rims, single axle 1083/1 1 Muminum rims, single axle 748 4 Agig foots 6548/1 1 Agin goal kg (chi) in connection with autarchy package) ¹³ 55 Agina well with aluminum rims 839 6 Spare wheel with aluminum rims 839 6 Spare wheel with seler rims 851 12 CABINE EXTERIOR 1028 2 Binged window (kitchen) 6406 3 Inged window washroom (milky glass) 809 5 Inged window washroom (milky glass) 809 6 Ingel window (kitchen) 6406 3 Ingel window (kitchen) 8019 35 <		ORDER NO.	KG
	CHASSIS		
deskimum chassis weight 1.900 kg / 2.000 kg / 2.000 kg Chassis 394 10 deskimum chassis weight 1.2000 kg / 2.000 kg Chassis incl. aluminum rims 138 10 pager wheel with aluminum rim for 2000 kg chassis (+ holder under chassis) 1092 12 Nummum rims, single asle 1065/1 1 Nummum rims, single asle 748 4 kilp foots 6348/1 1 default status (only in connection with autarchy package) 30 96 28 spare wheel with aluminum rims 839 6 spare wheel with aluminum rims 831 12 spare wheel with steel rims 831 12 CABINE EXTERIOR 801 2 linged window washroom (milky glass) 1028 2 linged window (kitchen) 6406 3 linged window (kitchen) 600 600		,	
Meximum chassis weight 2,000 kg /2,000 kg Chassis incl. aluminum rims 188 10 pear wheel with aluminum rim for 2000 kg chassis (+ holder under chassis) 1092 12 Nuthin thin thin thin thin thin thin thin			
Sparse wheel with aluminium rim for 2000 kg chassis (+ holder under chassis) Numinum rims, single axis 1063/1 1 1 1 1 1 1 1 1 1			
Numinum rims, single axle 1063/1 1 1 1 1 1 1 1 1 1			10
Anti-skid system 748 4 log foots 6348/1 1 danual entry level 372 5.5 dover single axle (only in connection with autarchy package) 30 946 28 spare wheel with alluminum rims 839 6 spare wheel with stear rims 831 12 CABINE EXTERIOR tinged window washroom (milky glass) 1028 2 sliding window (kitchen) 6406 3 sterame window (incl. blind) 7561 5 swming 550 x 3.00 m 8019 55 skewling 550 x 3.00 m 8019 55 skewling 550 x 3.00 m 8019 55 skewling in glight 9974 1 comfort-entrance-door with window incl. rubbish bin 6427 1 comfort-entrance-door with window incl rubbish bin 6427 1	Spare wheel with aluminium rim for 2000 kg chassis (+ holder under chassis)		12
Big foots 6348/I 1 damual entry level 372 5.5 Cover single aske (only in connection with autarchy package) 30 946 28 Spare wheel with steel rims 839 6 Spare wheel with steel rims 831 12 CABINE EXTERIOR 331 12 CABINE EXTERIOR 1028 2 Eigled window washroom (milky glass) 1028 2 Eigled window washroom (milky glass) 1028 2 Eigled window (incl. blind) 7561 5 Evaning 550 x 3.00 m 8020 65 Salwaing 550 x 3.00 m 8020 65 Eigle wall in smooth sheet white 443 17 Comfort-entrance-door with window incl. rubbish bin 6427 1 Divariance flashing light 9974 1 Eigle carrier 184 14 Elemforced roof incl. preparation for air conditioning 6512 3.5 Elemforced roof incl. preparation for air conditioning 612 3.5 Elemforced roof incl. preparation from front left (layout-dependent)<	Aluminum rims, single axle	1063/1	1
Varianual entry level 372 5.5 dover single axile (only in connection with autarchy package) 30 946 28 page average with aluminum rims 839 6 page average with street rims 831 12 CABINE EXTERIOR	Anti-skid system	748	4
Mover single axile (only in connection with autarchy package) ³⁾ 946 28 spare wheel with aluminum rims 839 6 spare wheel with steel rims 831 12 CABINE EXTERIOR Use a spare wheel with steel rims 1028 2 Ciding window washroom (milky glass) 1028 2 sliding window (kitchen) 6406 3 reare window (incl. blind) 7561 5 swining 5.50 x 3.00 m 8020 65 swining 5.50 x 3.00 m 8019 55 sidewall in smooth sheet white 443 17 comfort-entrance-door with window incl. rubbish bin 6427 1 Size of a size of size	Big foots	6348/1	1
Spare wheel with aluminum rims 839 6 6 7 7 7 7 7 7 7 7	Manual entry level	372	5.5
CABINE EXTERIOR 1028 2 2 3 3 3 3 3 3 3 3	Mover single axle (only in connection with autarchy package) 3)	946	28
CABINE EXTERIOR linged window washroom (milky glass) 1028 2 linged window (kitchen) 6406 3 fearme window (incl. blind) 7561 5 kwning 5.50 x 3.00 m 8020 65 kwning 5.00 x 3.00 m 8019 55 kidewall in smooth sheet white 443 17 comfort-entrance-door with window incl. rubbish bin 6427 1 bynamic flashing light 9974 1 Slerycle carrier 184 14 keinforced roof incl. preparation for air conditioning 6402 3.5 kir conditioning 6512 36.5 kir conditioning 6512 36.5 kir conditioning 6422 3 kir conditioning 6512 36.5 kir conditioning 6422 3 kir conditioning 6512 36.5 kir conditioning 693 4 vervice hatch 750 x 300 mm rear right (layout-dependent) 693 4 vervice hatch 1.000 x 420 mm front left (layout-dependent) <t< td=""><td>Spare wheel with aluminum rims</td><td>839</td><td>6</td></t<>	Spare wheel with aluminum rims	839	6
diliging window washroom (milky glass) 1028 2 Silding window (kitchen) 6406 3 Frame window (incl. blind) 7561 5 Awning 5.50 x 3.00 m 8020 65 Awning 5.00 x 3.00 m 8019 55 Sidewall in smooth sheet white 443 17 Comfort-entrance-door with window incl. rubbish bin 6427 1 Oypynamic flashing light 9974 1 Sicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 645 4 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 dinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 dinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof ⁴) 6401 12 Winterisolation for pop-up roof ⁵⁰ 6401 20	Spare wheel with steel rims	831	12
Security	CABINE EXTERIOR		
Frame window (incl. blind) 7561 5 Awning 5.50 x 3.00 m 8020 65 Awning 5.00 x 3.00 m 8019 55 Gidewall in smooth sheet white Comfort-entrance-door with window incl. rubbish bin 6427 1 Comfort-entrance-door with window incl. rubbish bin 9974 1 Sicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6512 36.5 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Coraver for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 6400 982/4 3 Coraver for extra sevice hatch 750 x 30m m 6400 120 Winterisolation for pop-up roof 69 Winterisolation for pop-up roof 60	Hinged window washroom (milky glass)	1028	2
Frame window (incl. blind) Awning 5.50 x 3.00 m 8020 65 Awning 5.00 x 3.00 m 8019 55 Gidewall in smooth sheet white Comfort-entrance-door with window incl. rubbish bin Comfort-entrance-door with with with with with with with with	Sliding window (kitchen)	6406	3
Awning 5.00 x 3.00 m 8019 55 Sidewall in smooth sheet white 443 17 Comfort-entrance-door with window incl. rubbish bin 6427 1 Oynamic flashing light 9974 1 Bicycle carrier 184 14 Reenforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Frame window (incl. blind)	7561	5
Sidewall in smooth sheet white 443 17 Comfort-entrance-door with window incl. rubbish bin 6427 1 Dynamic flashing light 9974 1 Bicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Awning 5.50 x 3.00 m	8020	65
Comfort-entrance-door with window incl. rubbish bin 6427 1 Dynamic flashing light 9974 1 Bicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Awning 5.00 x 3.00 m	8019	55
Dynamic flashing light 9974 1 Bicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra service hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Sidewall in smooth sheet white	443	17
Bicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Comfort-entrance-door with window incl. rubbish bin	6427	1
Bicycle carrier 184 14 Reinforced roof incl. preparation for air conditioning 6402 3.5 Air conditioning 6512 36.5 Service hatch 750 x 300 mm rear right (layout-dependent) 6422 3 Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Orawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof 4) 6400 120 Winterisolation for pop-up roof 5) 6401 2	Dynamic flashing light	9974	1
Air conditioning Service hatch 750 x 300 mm rear right (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 750 x 300 mm Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left	Bicycle carrier	184	14
Air conditioning Service hatch 750 x 300 mm rear right (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 750 x 300 mm Service hatch 1.000 x 420 mm front left (layout-dependent) Service hatch 1.000 x 420 mm front left	Reinforced roof incl. preparation for air conditioning	6402	3.5
Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Drawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof ⁴⁾ Winterisolation for pop-up roof ⁵⁾ 6401 2	Air conditioning	6512	36.5
Service hatch 1.000 x 420 mm front left (layout-dependent) 6415 4 Prawer for extra sevice hatch 750 x 300 mm 693 4 Hinged window, front, 900 x 520 mm (layout-dependent) 982/4 3 Hinged window, front, 1.515 x 593 mm 982/2 5 Prop-up roof ⁴⁾ Winterisolation for pop-up roof ⁵⁾ 6401 2	Service hatch 750 x 300 mm rear right (layout-dependent)	6422	3
Hinged window, front, 900 x 520 mm (layout-dependent) Hinged window, front, 1.515 x 593 mm 982/2 500-up roof ⁴⁾ Winterisolation for pop-up roof ⁵⁾ 6401 2	Service hatch 1.000 x 420 mm front left (layout-dependent)	6415	4
Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof ⁴) 6400 120 Winterisolation for pop-up roof ⁵) 6401 2	Drawer for extra sevice hatch 750 x 300 mm	693	4
Hinged window, front, 1.515 x 593 mm 982/2 5 Pop-up roof ⁴) 6400 120 Winterisolation for pop-up roof ⁵) 6401 2	Hinged window, front, 900 x 520 mm (layout-dependent)	982/4	3
Pop-up roof ⁴⁾ 6400 120 Winterisolation for pop-up roof ⁵⁾ 6401 2	Hinged window, front, 1.515 x 593 mm	982/2	5
Winterisolation for pop-up roof ⁵⁾ 6401 2	Pop-up roof ⁴⁾	6400	120
	Winterisolation for pop-up roof ⁵⁾	6401	2
	Columns superimposed of rearpart	6449/1	7

520 E	522 K	530 K	532 K	580 D
	_		_	
				-
				-
	-	-	-	
				-
	-	-	-	-
		-		-
	-	-		-
_		-	-	-
	-			-

21

■ Standard □ Optional extra - Not possible

	ORDER NO.	KG
CABINE INTERIOR		
Decorative pillows (2 pieces)	10696	1
Table with pillar for round seating group (layout-dependent)	6541	5
Carpet, skirted	513/1	7
Additional stool for seating group	6376	5
Triple bunk beds ⁶⁾	200	21
Premium-matress	10318	10
Beige quilted bedspread for double beds	6530/2	1
Beige quilted bedspread for single beds	6530/1	1
KITCHEN		
Extractor hood	785	2
Oven (for gas) ⁷⁾	572	8
Apothecary pull-out	7122	5
Full Cooker	10439	25
HEATING		
230 V auxiliary heating	6361	2
WATER SUPPLY		
Freshwater tank, 76 ltr., instead of 44 ltr. with filler pipe	6356	36
Boiler, 10 ltr.	6360	7
GAS/ELECTRICITY SUPPLY		
Exterior socket 230 V / 12 V / TV and gas	611/1	1
City connection with float (in bottle holder)	414	2
Flat screen LED 20" with triple tuner ⁸⁾	791	3
Flat-screen TV holder (wall mounted) ⁹⁾	6407	2
Gas detector	10058	0.5
Multiconsystem 7 pole instead of 13 pole	6451	1
Three additional sockets 230 V ¹⁰⁾	6380	0.5
Flat-screen TV ready for 1st TV	6381	1
Indirect lightning upper cupboards	633	1
S - S - France		
TV Place-preparation 2	6453	1

■ Standard □ Optional extra ■ Not possible



BORN FROM A PASSION FOR CARAVANNING

Simply taking off and enjoying the most wonderful moments of the year. With a vehicle from LMC, you can look forward to doing precisely that whenever you want.

At its production site in Sassenberg, Germany, the creative caravan manufacturer builds modern. future-proof and light engineered caravan, motorhome and camper van models with well thought out layout options that meet all requirements, and plenty of features that reflect the engineering skills Germany is famous for. Our highly-qualified staff know exactly what matters. As passionate campers, we make every effort to ensure that our vehicles are so well designed in terms of quality, safety and comfort that they meet our own high standards. To make sure that all you have to worry about is rest and relaxation, they feature clever technology and functional solutions both inside and out. All LMC components are designed with durability and value retention in mind - your investment into an LMC is therefore a sound choice.

WE MAKE IT EASY FOR YOU

Our engineers rely on cleverly designed lightweight furniture and use a well thought out mix of materials and special light engineered components to guarantee that you benefit from a generous user payload.

Across all of our model ranges, we create clear structures and provide transparent information to make it as easy as possible for you to choose the LMC that's right for you.



"Our layouts are as flexible as our customers are individual. For instance, with the optional extension for the children's beds, you can turn the two-level bunk bed into a three-level version."

DOMINIK OSTHUES, Head of Product Management









QUALITY YOU CAN RELY ON

LMC stands for outstanding quality, reliability and long-lasting value.

We use advanced production technologies to be able to guarantee all three. For added security, we give you our unique quality promise: a twelve-year water ingress warranty.*

See our homepage www.lmc-caravan.de for more information, or ask your dealer.

IMPORTANT INFORMATION

All accessory prices are for factory installation. Subsequent installations are subject to additional costs. Any change to the factory settings of your vehicle can lead to impairment of driving or road safety. Accessories recommended by us and original replacement parts have been specially developed for your vehicle and approved by us. Your LMC dealer carries these products; he/she is informed of permissible, technical particulars, and performs the necessary work in a competent manner. Accessories, fi xtures, conversion or assembly parts that have not been approved by LMC can lead to damage to the vehicle or impaired road safety.

Even if there is an expert opinion from a specialist regarding the part, a general operating licence for the part, or a type-approval certificate, this does not presume the proper constitution of the product. Please understand that no liability can be assumed for damages caused by products that have not been approved by LMC, or by unauthorised modifications.

The weight in roadworthy condition (¹) corresponds to the series design without optional extras. Installation of optional extras increase the weight of the caravan in roadworthy condition (¹), and the cargo load is reduced accordingly (²). Please take the weight of the optional extra into account with regard to the cargo load (²).

Changes to prices, technical data, fi xtures and furnishings, as well those regarding creative aspects, remain reserved. Information about scope of delivery, appearance and services, correspond to the information available at the time of printing. Deviations of +/- 5 % are possible in measurement and weight data

The cargo load (²) derived from it can very correspondingly. Our weight information complies with requirements of EC-Directive 661/2009 and Regulation (EU) 1230/2012.

For safe operation of 12 V devices in the caravan while driving, it must be ensured that the towing vehicle has sufficient voltage. With some vehicles it is possible that the vehicle's battery management switches the battery consumption unit off for protection. Obtain information about this from your vehicle manufacturer.

Corresponds to the current status at the time of printing. We reserve the right to technical modifications to the construction and outfitting, deviations to the colour, or mistakes, colour deviations, are partially print or lighting related.

Some illustrations include optional extras subject to extra cost.

All prices are recommended retail prices in euros, incl. statutory value added tax ex works LMC.

The validity of all previously published price lists expires with the publication of this price list. Valid from 01/11/2021.

FOOTNOTES

- 1) This weight includes the standard design dimensions according to manufacturer information: Liquid, such as fresh water, gas (aluminium bottles) at 100 % and cable drums, without optional extras. This corresponds to a weight of approx. 36 kg (Vivo).
- 2) The cargo load must not be exceeded by personal equipment and optional extras.
- 3) Ilnstallation in front of axle. This enables the spare wheel holder under the chassis.
- 4) The skylight in the washroom is omitted with the optional extra of the pop-up roof. The washroom window is standard equipment. In addition, the roof hood and/or roof hood Midi Premium is omitted. Usage of the pop-up roof is not recommended in winter.
- 5) Only in combination with the pop-up roof. Button-on insulating mat in the pop-up roof. Not available in combination with hot water heating.
- 6) Exterior storage door on 490 K, 520 K, 520 K, 530 K remains, however no function since the lower bed must not be set up.
- 7) Installation of a kitchen block (replace the two lower wide drawers with two narrow drawers).
- 8) Only in combination with the fl at screen holder. Mounting is always in TV-spot 1.
- 9) Flatscreen holder ex works mounted (only TV-spot 1).
- 10) Positioning beside already available sockets (1x kitchen and 2x seat group).

^{*} All LMC caravans come with a twelve-year water ingress warranty, provided the vehicle is serviced annually by an official LMC partner (service charges apply).



