



TIMELESS CLASSIC: **LMC MUSICA**

LMC MODEL YEAR 2023 - PRICELIST MUSICA
EN
DATE: AUGUST 2022

QUALITY. TRUST. AT HOME. **LMC**

STANDARD EQUIPMENT AND PACKAGES

CHASSIS

- Premium-Chassis
- Stability supports / heavy duty supports
- Diagonal swing axle
- Wheel shock absorbers
- Tow bar cover
- Automatic brake adjustment

CABINE EXTERIOR

- Hinged window (kitchen)
- Bottle holder with hydraulic shock absorbers
- Spare wheel holder in bottle box
- Hinged window, front, 1.515 x 593 mm (layout-dependent)
- Automotive, three-part front section made of ABS - plastic
- Roof and front / rear section in GRP
- Roof hub 280 x 280 mm (washroom)
- Automotive tail light
- Roof hub 400 x 400 mm
- Sidewall hammer finish sheet
- Hinged window with combi-rollo
- Third breaking light
- Garage door (layout-dependent)
- Comfort-entrance-door incl. rubbish bin
- Hinged window, rear, 1.450 x 520 mm (layout-dependent)
- Service hatch 1.000 x 420 mm front right (layout-dependent)

CABINE INTERIOR

- Cold foam mattresses in single and double bed
- Hydraulic lift for fixed beds
- Roll-out-bed (layout-dependent)
- Storage cupboard
- Wall-cupboard flaps softclose

- Wall-cupboard flaps around the full circumference
- Interior walls back in furniture decor
- Winterised wall ventilation
- Table with pillar for rounge seating goup (layout-dependent)
- Wardrobe front
- Modern entrance area with storage place and integrated TV-place (layout-dependent)
- Foldable upholstery
- Towel hook
- Mirror
- Washroom door with household fitting

KITCHEN

- Three burner stove with integrated sink
- Fridge 86 ltr. (layout-dependent)
- Sink with glass cover
- Fridge 141 ltr. (layout-dependent)
- Drawer with cutlery application
- Drawers with self retraction and softclose
- Hinged extension of kitchen worktop (layout-dependent)
- Big drawer
- Side splash guards (layout-dependent)
- Apothecary pull-out

HEATING

- Heating warm air 5004 S (from total width 2,526 mm)
- Air circulation system 230 V
- Heating warm air 3004 S (layout-dependent)

WATER SUPPLY

- Washbasin
- Bank toilet with electrical flushing (layout-dependent)
- Water hygienic silver pearls
- Freshwater tank 44 ltr.
- Central waste water drainage

GAS/ELECTRICITY SUPPLY

- LED home lighting
- LED awning lighting
- 12 V lighting with 400 W transformer
- Switcher/Sockets (4 pieces)
- Feed-in socket CEE 230 V
- Bed lighting
- Indirect lighting
- Reading lights
- Smoke alarm
- Central electrical supply 230 V
- Central electrical supply 230 V
- USB sockets (2 pieces)
- Air circulation and cable covers in bed bins
- Jäger system (13 pole)

LONG LIFE TECHNOLOGY

- Under floor with XPS-foam an PU-struts
- High-performance insulation core
- Fibreglass-material under floor
- Roof and front / rear section in GRP
- 12-years-tightness-warranty ²⁾

SHOWER PACKAGE (DUP)

- Shower fitting
- Shower curtain
- Wooden shower inlay
- Shower basin
- City connection with float (in bottle holder)

Package weight* +6 kg*

HOT-AIR HEATING WINTER PACKAGE (WPU)

- Double floor (bed and sitting hutches)
- DuoControl with crash sensor
- Eis EX with monitor (only in combination with DuoControl)
- Electrical floor heating 230 V
- Inside waste water drainage with isolated valve
- Winter cover for fridge ventilation outlet

Package weight* +35 kg*

AUTARCHY PACKAGE HOT-AIR HEATING (APU)

- 12 V ventilation system
- Battery 95 AH AGM
- Accu
- Voltage indicator for battery
- 12 V main switch

Package weight* +35.5 kg*

MUSICA PACKAGE (MP)

- Holding tank 25 ltr. with wheels
- Display for freshwater tank
- Midi premium skylight 960 x 655 mm
- Mosquito net door
- Comfort-entrance-door with window incl. rubbish bin
- Therme for hot water supply
- Teller für Kurbelstützen
- 2x USB-Steckdose für Stromschiene
- Indirect lightning upper cupboards
- Three additional sockets 230 V
- Exterior socket 230 V / 12 V / TV and gas
- Reinforced roof incl. preparation for air conditioning
- Stützrad mit Stützlastanzeige
- Gas detector

Package weight* +25 kg*

WINTER PACKAGE HOT WATER HEATING (WPW)

- Double floor (bed and sitting hutches)
- DuoControl with crash sensor
- Eis EX with monitor (only in combination with DuoControl)
- Warm water heating
- Winter cover for fridge ventilation outlet
- Inside waste water drainage with isolated valve

Package weight* +90 kg*

△ Not yet known at the time of publication

TECHNICAL DATA

TECHNICAL DATA VEHICLE

Total length (cm)
Exterior length (cm)
Interior length (cm)
Total width (cm)
Interior roof height max. (cm)
Total height (cm)
Weight in drivable condition (with standard equipment) (kg)* 1)
Payload standard/maximum load (kg)
Maximum permissible total weight (kg)*
Floor, wall, roof thickness (mm)
Awning size (cm)

BED DIMENSIONS/SLEEPING BERTH

Berths
Front
Middle
Rear

520 E

808
694
613
232
195
257
1444
356
1800
40 / 30 / 30
1084

2 - 4

2x 200 x 88

-

201 - 151 x 191 - 126

542 E

805
684
603
252
195
257
1462
338
1800
40 / 30 / 30
1051

2 - 4

221 x 128

202 x 82
195 x 82

-

560 E

779
661
580
232
195
257
1422
378
1800
40 / 30 / 30
1073

2 - 4

200 x 88
185 x 88

201 x 130 - 173

OPTIONAL EQUIPMENT

	ORDER NO.	EXTRA WEIGHT
CHASSIS		
Manual entry level	372	5.5
Anti-skid system	748	4
Aluminum rims, single axle	1063/1	1

AUFLASTUNGEN

Maximum chassis weight 2.000 kg / 2.000 kg Chassis incl. aluminum rims	138	10
--	-----	----

CABINE EXTERIOR

Winterisolation for pop-up roof ³⁾	6401	2
Pop-up roof ⁴⁾	6400	120
Hinged window, front, 1.515 x 593 mm	982/2	5
Air conditioning	6512	36.5
Sliding window (kitchen)	6406	3
Hinged window washroom (milky glass)	1028	2
Service hatch 750 x 300 mm front right (layout-dependent)	6420	3
Service hatch 1.000 x 420 mm front left (layout-dependent)	6415	4
Service hatch 750 x 300 mm rear right (layout-dependent)	6422	3
Frame window (incl. blind)	7561	5
Drawer for extra service hatch 750 x 300 mm	693	4
Reinforced roof incl. preparation for air conditioning	6402	3.5
Sidewall in smooth sheet white	443	17

CABINE INTERIOR

KITCHEN

Oven (for gas) ⁵⁾	572	8
------------------------------	-----	---

HEATING

DuoControl with crash sensor	6448	7
Electrical floor heating 230 V	387	6
230 V auxiliary heating	6361	2
Eis EX with monitor (only in combination with DuoControl)	6358	1

WATER SUPPLY

520 E	542 E	560 E
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

□

□

□

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	-	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	-	<input type="checkbox"/>
-	<input type="checkbox"/>	-
<input type="checkbox"/>	-	<input type="checkbox"/>
<input type="checkbox"/>	-	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	ORDER NO.	EXTRA WEIGHT
Freshwater tank, 76 ltr., instead of 44 ltr. with filler pipe	6356	36
GAS/ELECTRICITY SUPPLY		
USB socket for power rail	9989	0.5
Flat-screen TV ready for 1st TV	6381	1
Gas detector	10058	0.5

520 E	542 E	560 E
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



IMPORTANT NOTES

All accessory prices are for factory installation. Additional costs must be expected for subsequent installations. Any change to the factory condition' of your vehicle can lead to an impairment of driving and road safety. Accessories recommended by us, original spare parts are specially developed for your vehicle. Accessories, add-ons, conversions or installation parts not approved by LMC can lead to damage to the vehicle and to impairment of the road safety. Even if an expert opinion, a parts approval or a type approval is available for these parts, there is no presumption for the proper condition of the product. Please understand that no liability can be assumed for damages caused by products not approved by LMC or by non-permitted modifications.

We reserve the right to make changes to prices, technical data, facilities and equipment as well as design changes. The information about scope of delivery, appearance and services correspond to the knowledge available at the time of printing. Decorations shown are not included in the scope of delivery. All details correspond to the current status at the time of printing. The stated mass in running order is a standard value specified in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The technically permissible total mass of the vehicle and the technically permissible total mass on the axle must not be exceeded. This is a recommended retail price in EUR based on German retail prices. Prices in other countries may differ due to currency conversion, country-specific equipment, VAT, fees, transport costs and import duties. Your trading partner will be pleased to inform you about the prices, taxes and fees applicable to your country.

We reserve the right to make technical changes in design and equipment, deviations in color and errors. Color deviations are partly due to printing or lighting technology. Some illustrations include optional equipment that is subject to an extra charge.

All prices are in Euro incl. VAT ex works LMC.

With the publication of this price list, the validity of all previously published price lists expires. Valid from 01.08.2022.

FOOTNOTES

- 1) This weight includes the standard design dimensions according to manufacturer information: Liquid, such as fresh water, gas (aluminium bottles) at 100 % and cable drums, without optional extras. This corresponds to a weight of approx. 33 kg (Sassino), 36 kg (Style, Style Lift and Vivo) and 40 kg (Musica).
- 2) All LMC caravan and motorhome bodies come with a twelve-year water ingress warranty, provided the vehicle is serviced annually by an official LMC partner (service charges apply). Please note that this warranty only applies to motorhomes up to a maximum total mileage of 120,000 km.
- 3) Only in combination with pop-up roof insulating mat for buttoning into the pop-up roof. Not available in combination with hot water heating.
- 4) The skylight in the washroom is omitted with the optional extra of the pop-up roof. The washroom window is standard equipment. In addition, the roof hood and/or roof hood Midi Premium is omitted. Usage of the pop-up roof is not recommended in winter.
- 5) Installation of a kitchen block (replace the two lower wide drawers with two narrow drawers).

*For detailed notes & explanations on weight issues and vehicle configuration, please refer to the General Notes section.

SEE YOU!



LMC CARAVAN GMBH & CO. KG Rudolf-Diesel-Straße 4 D-48336 Sassenberg
T +49 (0) 2583 / 27-0 E info@lmc-caravan.de H www.lmc-caravan.de
Münster (Westf.): HRB 9914 USt-IdNr. 126 733 941 General Managers: Timo Ecke, René Ricken, Bodo Diller

QUALITY. TRUST. AT HOME. **LMC**