

Status August 2025





# IMPORTANT INFORMATION

## REGARDING THE SELECTION OF YOUR CARAVAN

When purchasing a caravan, it is especially important to select not only an appealing design, but also the right layout. Weight also plays an essential role here. Family, friends, optional equipment, accessories, and baggage – there should be enough space for all of this. At the same time, there are legal and technical limits for configuration and loading. Each caravan is designed for a certain weight which must not be exceeded during travel. This raises a question for caravan buyers: How should I configure my vehicle to accommodate baggage and accessories according to my needs without causing the vehicle to exceed this maximum weight? To help you make this decision, we have provided you some information below that is particularly important when selecting your vehicle from our product range:

### 1. The technically permissible maximum laden mass...

... is a value specified by the manufacturer which the vehicle must not exceed. Based on the layout, [brand] specifies an upper limit for the vehicle, which can vary from layout to layout (e.g. 1,600 kg, 1,700 kg). You will find the corresponding specification for each layout in the technical data.

#### SASSINO TECHNICAL INFO

SASSINO	
Price <sup>a)</sup>	
Total length	
Exterior length	
Interior length	
Total width	
Interior roof height max.	
Total height	
Weight in drivable condition (with standard equipment)*	
Manufacturer-specified dimensions for optional equipment*	
Maximum permissible total weight*	
Floor, wall, roof thickness	
Awning size	
Berths standard / max.	
Front	
Middle	
Rear	

### 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value specified in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is stated in parentheses after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, [brand] weighs each vehicle at the end of the line and informs your trading partner of the weighing result of your vehicle for forwarding to you.

**For detailed explanations of the mass in running order and the effect of tolerances on the minimum payload and the payload , please refer to the “Legal notes” section.**

### 3. The standard sleeping berths...

... are specified by the manufacturer and shown in the sales documents. The number of sleeping berths can be increased (e.g. 3-person bunk bed) or, if required, reduced (e.g. sideboard instead of seating group) by selecting optional equipment.

4. The mass for optional equipment specified by the manufacturer...

... is a value set for each layout by LMC for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by LMC. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, we will check together with your trading partner and you whether we should, for example, increase the load capacity of the vehicle or remove optional equipment before delivering the vehicle.

For detailed explanations of the effects of the tolerances on the minimum payload and the payload, please refer to the “Legal notes” section.

SASSINO  
TECHNICAL INFO

SASSINO
Price <sup>*)</sup>
Total length
Exterior length
Interior length
Total width
Interior roof height max.
Total height
Weight in drivable condition (with standard equipment)*
Manufacturer-specified dimensions for optional equipment*
Maximum permissible total weight*
Floor, wall, roof thickness
Awning size
Berths standard / max.
Front
Middle
Rear

OPTIONAL EXTRAS

	PRICE	ADDITIONAL WEIGHT*
CHASSIS		
Aluminum rims, single axle	600,-	1
Aluminum rims, single axle 17" black glossy	790,-	Δ
Tow bar cover	205,-	4

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the mass for optional equipment specified by the manufacturer.

SHOWER PACKAGE	PRICE €
Shower fitting	
Shower curtain	
Wooden shower inlay	
Shower basin	
Package price	860,-
Package price	695,-
You save	165,-
Additional weight*	6

E:DERO  
TECHNICAL INFO



E:DERO		350 D	470 K	400 C
Price <sup>a)</sup>	€	€13,490.-	€14,990.-	€14,490.-
Total length	cm	479	598	530
Exterior length	cm	378	496	428
Total width	cm	223 <sup>1)</sup>	223 <sup>1)</sup>	223 <sup>1)</sup>
Interior roof height max.	cm	198	198	198
Total height	cm	259 <sup>1)</sup>	259 <sup>1)</sup>	259 <sup>1)</sup>
Weight in drivable condition (with standard equipment)*	kg	618 (587 - 649)* <sup>2)</sup>	757 (719 - 795)* <sup>2)</sup>	688 (654 - 722)* <sup>2)</sup>
Manufacturer-specified dimensions for optional equipment*	kg	424	243	339
Maximum permissible total weight*	kg	1100	1100	1100
Floor, wall, roof thickness	mm	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
Awning size	cm	789	908	840
Berths standard / max.		2	4 / 5	3
Front	cm	200 x 140	200 x 140	200 x 140 - 85
Rear	cm		203 - 198 x 66 - 63	186 x 60

Optional equipment   Not possible   Standard equipment   Not known at the time of publication

INFO\*

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by LMC. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on the last page.

## STANDARD EQUIPMENT

350 D  
470 K  
400 C

### CHASSIS

Premium-Chassis	●	●	●
Stability support	●	●	●
Steel rim incl. wheel hub cap with summer tires	●	●	●
Anti-sway coupling	●	●	●
Wheel shock absorbers	●	●	●
Breakdown kit	●	●	●

### CABINE EXTERIOR

hinged window incl. blackout blind and insect screen	●	●	●
Service flap 750 x 300 mm front passenger side	●	●	●
Service flap 1,000 x 420 mm Rear passenger side	—	—	●
Sidewall hammer finish sheet	●	●	●
Roof hood clear glass 400 x 400 mm (living area) incl. blackout blind and insect screen	●	●	●
Roof hood clear glass 280 x 280 mm (closet) incl. blackout blind and insect screen	●	●	●

### CABINE INTERIOR

Insect screen door in superstructure door	●	●	●
Pad Sassino Silver Selection	●	●	●
Felt boxes (1 piece)	●	●	●
Removable key rack	●	●	●
Pin board with elastic bands	●	●	●
Fixing hooks in closet for table or similar.	●	●	●
Cold foam mattress 80mm in bunk beds incl. slatted frame	—	●	—
Cold foam mattress 100mm in single and double beds incl. slatted frame	●	●	●
Bunk beds (load capacity 80 kg) each with its own window	—	●	—
Sliding bed (can be converted into a couch with 350D and 470K)	●	●	—

### WATER SUPPLY

Freshwater tank 12 ltr.	●	●	●
-------------------------	---	---	---

### GAS/ELECTRICITY SUPPLY

Power input sidewall	●	●	●
2 USB sockets	●	●	●
Battery-powered pendant light	●	●	●
Removable battery lights (2 pieces)	●	●	●
CEE external connection for 230 V with RCD	●	●	●
Smoke alarm	●	●	●
230 V sockets (3 pieces)	●	●	●

### LONG LIFE TECHNOLOGY


12-years-tightness-warranty	●	●	●
Roof and front / rear section in GRP	●	●	●
Underbody with high-performance XPS foam and GRP	●	●	●

PACKS E:DERO

LARGE E:DERO PACKAGE (350D/470K)		PRICE €
Compressor cool box 45l		
Awning		
Fabric wall cabinet		
Felt boxes (4 pieces)		
Plastic camping table (800x600mm) with folding and extendable legs		
Outdoor upholstery incl. frame (Carrara Outside)		
Package price (incl. VAT)		1.500,-
Additional weight (kg)*		36

STORT E:DERO-PAKKE (400 C)		PRICE €
Compressor cool box 45l		
Outdoor upholstery (Carrara Outside)		
Two extra outdoor seat upholstery incl. frame		
Awning		
Fabric wall cabinet		
Felt boxes (4 pieces)		
Plastic camping table (800x600mm) with folding and extendable legs		
Package price (incl. VAT)		1.700,-
Additional weight (kg)*		45

△ Not known at the time of publication

 INFO\*

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EXTRAS

	PRICE	ADDITIONAL WEIGHT (KG)*	350 D	470 K	400 C
CHASSIS					
Shiny black alloy wheels with summer tires	590,-	1	O	O	O
PAYLOAD UPGRADE					
Maximum chassis weight 900 kg / 1.100 kg Chassis	180,-	1	O	—	—
Maximum chassis weight 750 kg / 750 kg Chassis	180,-	1	O	—	—
CABINE EXTERIOR					
Opening window bow 1,300 x 520 mm incl. blackout blind and insect screen	600,-	3	O	O	O
CABINE INTERIOR					
3-seater bunk bed (load capacity 80 kg), each with its own window	790,-	21	—	O	—
WATER SUPPLY					
Holding tank 25 ltr. with wheels	120,-	3	O	O	O

O Optional equipment   — Not possible   ● Standard equipment   ▲ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# SASSINO

## TECHNICAL INFO



SASSINO		390 K	430 D	450 D	460 E	470 K
Price <sup>a)</sup>	€	€18,800.-	€18,500.-	€20,400.-	€19,200.-	€20,600.-
Total length	cm	623	626	709	676	715
Exterior length	cm	513	517	607	567	607
Interior length	cm	426	430	520	480	521
Total width	cm	213 <sup>1)</sup>	213 <sup>1)</sup>	213 <sup>1)</sup>	213 <sup>1)</sup>	213 <sup>1)</sup>
Interior roof height max.	cm	198	198	198	198	198
Total height	cm	265 <sup>1)</sup>	265 <sup>1)</sup>	265 <sup>1)</sup>	265 <sup>1)</sup>	265 <sup>1)</sup>
Weight in drivable condition (with standard equipment)*	kg	952 (904 - 1000)* <sup>2)</sup>	924 (878 - 970)* <sup>2)</sup>	1011 (960 - 1062)* <sup>2)</sup>	954 (906 - 1002)* <sup>2)</sup>	1062 (1009 - 1115)* <sup>2)</sup>
Manufacturer-specified dimensions for optional equipment*	kg	41	89	91	153	159
Maximum permissible total weight*	kg	1100	1100	1200	1200	1360
Floor, wall, roof thickness	mm	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
Awning size	cm	905	909	999	959	1000
Berths standard / max.		4 / 5	3 / 3	3 / 3	3 / 3	6 / 7
Front	cm	188 x 145 - 115	196 x 148	200 x 157	192 x 92	189 x 152
Middle	cm		169 x 95	169 x 95		188 x 122
Rear	cm	192 x 71			200 - 83 x 195 - 83	190 x 60

Optional equipment
 Not possible
 Standard equipment
 Not known at the time of publication

### INFO\*

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by LMC. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on the last page.



## STANDARD EQUIPMENT

390 K  
430 D  
450 D  
460 E  
470 K

### CHASSIS

Premium-Chassis	●	●	●	●	●
Stability support	●	●	●	●	●
Diagonal swing axle	●	●	●	●	●
Steel rim incl. wheel hub cap with summer tires	●	●	●	●	●
Anti-sway coupling	●	●	●	●	●
Breakdown kit	●	●	●	●	●
Wheel shock absorbers	●	●	●	●	●

### CABINE EXTERIOR

Service flap 1,000 x 420 mm front passenger side	—	●	●	—	●
Service flap 1,000 x 420 mm Rear passenger side	—	—	—	●	—
Service flap 750 x 300 mm front passenger side	●	—	—	—	—
Garage door	●	—	—	—	●
Two-part entrance door	●	●	●	●	●
hinged window incl. blackout blind and insect screen	●	●	●	●	●
Sidewall hammer finish sheet	●	●	●	●	●
Roof hood 280 x 280 mm (bathroom) incl. insect screen	●	●	●	●	●
Automotive tail light	●	●	●	●	●
Rear hinged window 900 x 520 mm incl. blackout blind and insect screen	●	●	●	—	●
Bottle crate lid with gas strut	●	●	●	●	●
Roof hood clear glass 400 x 400 mm (living area) incl. blackout blind and insect screen	●	●	●	●	●

### CABINE INTERIOR

Vanity unit with door	●	●	●	●	●
Conversion of single bed to double bed with extendable slats <sup>3)</sup>	—	—	—	●	—
Coat hooks	●	●	●	●	●
Furniture construction and ventilated upholstery and mattresses for optimum air circulation	●	●	●	●	●
Bunk beds (load capacity 80 kg) each with its own window	●	—	—	—	●
Cold foam mattress 100mm in single and double beds incl. slatted frame	●	●	●	●	●
Gas pressure regulators on the slatted frames of the fixed beds	●	●	●	●	●
Removable fabric boxes in the bathroom	●	●	●	●	●
Oval Mirror	●	●	●	●	●
Pad Sassino Silver Selection	●	●	●	●	●

### KITCHEN

Three-burner hob with integrated sink split and glass cover	●	●	●	●	●
Drawer with cutlery application	●	●	●	●	●
Compressor refrigerator 131.5 l with ice compartment	●	●	●	—	●
Compressor refrigerator 83 l with ice compartment	—	—	—	●	—

### WATER SUPPLY

Freshwater tank 12 ltr.	●	●	●	●	●
Modern bathroom sink	●	●	●	●	●
Cassette toilet	●	●	●	●	●
Central waste water drainage	●	●	●	●	●

### MULTIMEDIA

LMC Home ready	●	●	●	●	●
----------------	---	---	---	---	---

### GAS/ELECTRICITY SUPPLY

CEE external connection for 230 V with RCD and charger	●	●	●	●	●
230 V sockets (3 pieces)	●	●	●	●	●
400 W transformer	●	●	●	●	●
LED awning lighting	●	●	●	●	●
LED interior lighting	●	●	●	●	●

STANDARD EQUIPMENT

	390 K	430 D	450 D	460 E	470 K
Ceiling lights (2 pieces)	●	●	●	●	●
Smoke alarm	●	●	●	●	●
Gas bottle box (for 2 x 11 kg)	●	●	●	●	●
Gas regulator 30 mbar with gas hose (with country-specific adapter)	●	●	●	●	●
Power input sidewall	●	●	●	●	●

HEATING

Gas heating 3 kW	●	●	●	●	●
------------------	---	---	---	---	---

LONG LIFE TECHNOLOGY

12-years-tightness-warranty <sup>4)</sup>	●	●	●	●	●
Roof and front / rear section in GRP	●	●	●	●	●
Underbody with high-performance XPS foam and GRP	●	●	●	●	●

PACKS SASSINO


LMC HOME SENSOR PACKAGE	PRICE €
Gas level sensor	
Support wheel with support load sensor	
Tire pressure sensors	
Level sensor for fresh and waste water tank	
LMC Home	
Package price (incl. VAT)	790,-
Additional weight (kg)*	4

SASSINO PACKAGE	PRICE €
Holding tank 25 ltr. with wheels	
Spare wheel holder in bottle holder	
Insect screen door in superstructure door	
Therme for hot water supply 5 l (hot water mixer tap included)	
Air circulation system for gas heating	
Roof hood clear glass 700 x 500 mm incl. blackout blind and insect screen	
TV preparation (1x12V socket, 2x antenna cable SAT/TV)	
Additional lightning (light rail incl. Spots)	
Preparation for air conditioning incl. roof reinforcement	
2x USB socket for power rail	
Support wheel with support load indicator	
Freshwater tank with filler pipe, 44 ltr.	
Plate feet for crank stakes	
Package price (incl. VAT)	2.495,-
Additional weight (kg)*	32

SHOWER PACKAGE	PRICE €
Shower fitting	
Shower curtain	
Wooden shower inlay	
Shower basin	
Package price (incl. VAT)	590,-
Additional weight (kg)*	8

AUTARCHY PACKAGE HOT-AIR HEATING	PRICE €
12 V ventilation system	
Battery 95 AH AGM	
Accu	
Voltage indicator for battery	
12 V main switch	
Package price (incl. VAT)	1.090,-
Additional weight (kg)*	32.5

△ Not known at the time of publication

 INFO\*

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EXTRAS

	PRICE	ADDITIONAL WEIGHT (KG)*	390 K	430 D	450 D	460 E	470 K
CHASSIS							
Shiny black alloy wheels with summer tires	590,-	1	○	○	○	○	○
anti-skid system	1.020,-	5.5	○	○	○	○	○
17" shiny black alloy wheel with summer tires	790,-	5	○	○	○	○	○
Tow bar cover	645,-	5.5	○	○	○	○	○
PAYLOAD UPGRADE							
Maximum chassis weight 1.200 kg / 1.360 kg Chassis	180,-	1	○	○	—	—	—
Maximum chassis weight 1.500 kg / 1.500 kg Chassis	545,-	6	—	—	○	—	○
Maximum chassis weight 1.360 kg / 1360 kg Chassis	180,-	6	○	○	○	○	—
CABINE EXTERIOR							
Sliding window (kitchen) incl. blackout blind and insect screen	260,-	3	○	○	○	○	○
Service hatch 1,000 x 420 mm rear driver's side	305,-	4	—	—	—	○	—
Service flap 1,000 x 420 mm front driver's side	305,-	4	—	○	—	—	○
Hinged bathroom window (frosted glass) incl. blackout blind and insect screen	270,-	2	○	○	○	○	○
Rear hinged window 1,589 x 580 mm incl. blackout blind and insect screen	600,-	10	—	—	—	○	—
Opening window bow 1,589 x 580 mm incl. blackout blind and insect screen	550,-	12.5	●	○	—	●	○
Roof air conditioning (cooling and heating) <sup>5) 6)</sup>	2.380,-	35	○	○	○	○	○
CABINE INTERIOR							
3-seater bunk bed (load capacity 80 kg), each with its own window <sup>7)</sup>	790,-	21	○	—	—	—	○
Premium mattress 130mm incl. slatted base frame	390,-	10	—	○	○	○	○
Pad Sassino Silver Selection		0	○	○	○	○	○
WATER SUPPLY							
Therme for hot water supply 5 l (hot water mixer tap included)	505,-	3	○	○	○	○	○
GAS/ELECTRICITY SUPPLY							
Exterior socket 230 V / 12 V / TV	270,-	1	○	○	○	○	○
HEATING							
Electrical floor heating 230 V	745,-	2	○	○	○	○	○
Electric auxiliary heater 2 kW	545,-	2	○	○	○	○	○
Air circulation system for gas heating		2	○	○	○	○	○


○ Optional equipment   — Not possible   ● Standard equipment   ▲ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

## STYLE / STYLE LIFT TECHNICAL INFO



STYLE / STYLE LIFT		400 F	440 D	450 D	460 E	490 K	530 E	582 K	LIFT 500 K
Price <sup>a)</sup>	€	€19,900.-	€22,600.-	€22,700.-	€23,100.-	€22,900.-	€23,800.-	€26,000.-	€26,500.-
Total length	cm	583	682	735	678	716	772	805	758
Exterior length	cm	472	570	623	563	598	648	684	633
Interior length	cm	399	497	550	490	525	575	610	560
Total width	cm	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	252 <sup>1)</sup>	233 <sup>1)</sup>
Interior roof height max.	cm	198	198	198	198	198	198	198	208
Total height	cm	261 <sup>1)</sup>	261 <sup>1)</sup>	261 <sup>1)</sup>	261 <sup>1)</sup>	261 <sup>1)</sup>	261 <sup>1)</sup>	261 <sup>1)</sup>	271 <sup>1)</sup>
Weight in drivable condition (with standard equipment)*	kg	1022 (971 - 1073)* <sup>2)</sup>	1113 (1057 - 1169)* <sup>2)</sup>	1171 (1112 - 1230)* <sup>2)</sup>	1111 (1055 - 1167)* <sup>2)</sup>	1163 (1105 - 1221)* <sup>2)</sup>	1228 (1167 - 1289)* <sup>2)</sup>	1375 (1306 - 1444)* <sup>2)</sup>	1333 (1266 - 1400)* <sup>2)</sup>
Manufacturer-specified dimensions for optional equipment*	kg	175	113	47	68	48	137	63	123
Maximum permissible total weight*	kg	1300	1360	1360	1300	1360	1500	1600	1600
Floor, wall, roof thickness	mm	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
Awning size	cm	864	962	1015	955	990	1040	1075	1040
Berths standard / max.		2 / 4 ○	4 / 6 ○	4 / 6 ○	3 / 5 ○	5 / 8 ○	4 / 6 ○	5 / 8 ○	7 / 7 ○
Front	cm		210 x 144 - 110	200 x 146	185 - 210 x 83 - 83	208 x 135	212 x 127 - 162	205 x 169	205 - 200 x 76 - 74 / 177 x 78
Middle	cm					194 x 86		205 x 111	
Rear	cm	190 x 149	212 x 132 - 148	212 x 102 - 132	212 x 110	212 - 208 x 81 - 74	206 - 215 x 88 - 88	197 - 200 x 78 - 82	212 x 170 - 159 / 200 x 144




INFO\*

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by LMC. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on the last page.



STYLE /  
STYLE LIFT  
TECHNICAL  
INFO



STYLE / STYLE LIFT		400 F	440 D	450 D	460 E	490 K	530 E	582 K	LIFT 500 K
Bunk bed	cm	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○	

○ Optional equipment    — Not possible    ● Standard equipment    ▲ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by LMC. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on the last page.

## STANDARD EQUIPMENT

400 F  
440 D  
450 D  
460 E  
490 K  
530 E  
582 K  
LIFT 500 K

### CHASSIS

Premium-Chassis	●	●	●	●	●	●	●	●
Stability support	●	●	●	●	●	●	●	●
Diagonal swing axle	●	●	●	●	●	●	●	●
Steel rim incl. wheel hub cap with summer tires	●	●	●	●	●	●	●	●
Anti-sway coupling	●	●	●	●	●	●	●	●
Breakdown kit	●	●	●	●	●	●	●	●
Wheel shock absorbers	●	●	●	●	●	●	●	●

### CABINE EXTERIOR

hinged window incl. blackout blind and insect screen	●	●	●	●	●	●	●	●
Garage door	—	—	—	—	●	—	●	—
Service flap 1,675 x 885 mm Passenger side	—	—	—	—	—	—	—	●
Service flap 1,000 x 420 mm Rear passenger side	—	—	—	—	—	●	—	—
Service flap 1,000 x 420 mm front passenger side	—	●	—	●	●	—	—	—
Third breaking light	●	●	●	●	●	●	●	●
Rear hinged window 1,200 x 300 mm incl. blackout blind and insect screen	—	—	—	—	—	—	●	—
Sidewall hammer finish sheet	●	●	●	●	●	●	●	●
Roof hood clear glass 400 x 400 mm (sleeping) incl. blackout blind and insect screen	●	●	●	●	●	●	●	●
Automotive tail light	●	●	●	●	●	●	●	●
Rear hinged window 900 x 520 mm incl. blackout blind and insect screen	—	—	—	—	●	—	—	—
Bottle crate lid with gas strut	●	●	●	●	●	●	●	●
Roof hood 280 x 280 mm (bathroom) incl. insect screen	●	●	●	●	●	●	●	●
Roof hood clear glass 280 x 280 mm (children's room) incl. blackout blind and insect screen	—	—	—	—	●	—	●	—
Roof hood clear glass 400 x 400 mm (living area) incl. blackout blind and insect screen	●	●	●	●	●	●	●	●

### CABINE INTERIOR

Pad Style Dunit	●	●	●	●	●	●	●	●
Vanity unit with door	●	●	●	●	●	●	●	●
Mirror in the bathroom	●	●	●	●	●	●	●	●
Coat hooks	●	●	●	●	●	●	●	●
Storage cupboard	●	●	●	●	●	●	●	●
Conversion of single bed to double bed with extendable slats <sup>3)</sup>	—	—	—	●	—	●	—	—
Drop-down bed above seating group with 80 mm cold foam mattress incl. slatted frame (load capacity 200 kg)	—	—	—	—	—	—	—	●
Furniture construction and ventilated upholstery and mattresses for optimum air circulation	●	●	●	●	●	●	●	●
Cold foam mattress 80mm in bunk beds incl. slatted frame	—	—	—	—	●	—	●	●
Gas pressure regulators on the slatted frames of the fixed beds	—	●	●	●	●	●	●	●
Cold foam mattress 100mm in single and double beds incl. slatted frame	●	●	●	●	●	●	●	●
Bunk beds (load capacity 80 kg) each with its own window	—	—	—	—	●	—	●	●

### KITCHEN

Compressor refrigerator 131.5 l with ice compartment	●	●	●	—	●	●	●	●
Drawers with self retraction and softclose	●	●	●	●	●	●	●	●
Drawer with cutlery application	●	●	●	●	●	●	●	●
Three-burner hob with integrated sink split and glass cover	●	●	●	●	●	●	●	●
Compressor refrigerator 83 l with ice compartment	—	—	—	●	—	—	—	—

### WATER SUPPLY

Freshwater tank with filler pipe, 44 ltr.	●	●	●	●	●	●	●	●
Modern bathroom sink	●	●	●	●	●	●	●	●
Cassette toilet	●	●	●	●	●	●	●	●
Central waste water drainage	●	●	●	●	●	●	●	●

### MULTIMEDIA

LMC Home ready	●	●	●	●	●	●	●	●
----------------	---	---	---	---	---	---	---	---

STANDARD EQUIPMENT

400 F  
440 D  
450 D  
460 E  
490 K  
530 E  
582 K  
LIFT 500 K

GAS/ELECTRICITY SUPPLY

Power input sidewall	●	●	●	●	●	●	●	●
Gas bottle box (for 2 x 11 kg)	●	●	●	●	●	●	●	●
Gas regulator 30 mbar with gas hose (with country-specific adapter)	●	●	●	●	●	●	●	●
Smoke alarm	●	●	●	●	●	●	●	●
Reading lights	●	●	●	●	●	●	●	●
LED interior lighting	●	●	●	●	●	●	●	●
400 W transformer	●	●	●	●	●	●	●	●
CEE external connection for 230 V with RCD and charger	●	●	●	●	●	●	●	●

HEATING

Gas heating 3 kW	●	●	●	●	●	●	—	●
Gas heating 5 kW	—	—	—	—	—	—	●	—

LONG LIFE TECHNOLOGY

12-years-tightness-warranty <sup>4)</sup>	●	●	●	●	●	●	●	●
Roof and front / rear section in GRP	●	●	●	●	●	●	●	●
Underbody with high-performance XPS foam and GRP	●	●	●	●	●	●	●	●

## PACKS STYLE / STYLE LIFT

### LMC HOME SENSOR PACKAGE

PRICE €

Gas level sensor  
Support wheel with support load sensor  
Tire pressure sensors  
LMC Home  
Level sensor for fresh and waste water tank

<b>Package price (incl. VAT)</b>	<b>790,-</b>
<b>Additional weight (kg)*</b>	<b>4</b>

### STYLE PACKAGE

PRICE €

TV preparation (1x12V socket, 2x antenna cable SAT/TV)  
Spare wheel holder in bottle holder  
Insect screen door in superstructure door  
LED ambience lightning  
Therme for hot water supply 5 l (hot water mixer tap included)  
Air circulation system for gas heating  
Entrance door with window incl. blackout blind, one-piece incl. waste garbage can  
Holding tank 25 ltr. with wheels  
Display for freshwater tank  
2x USB socket for power rail  
Preparation for air conditioning incl. roof reinforcement  
Support wheel with support load indicator  
Stability supports incl. plate feet  
Tow bar cover  
LED awning lighting  
Roof hood clear glass 960x650mm with canopy and lighting above the seating area incl. blackout blind and insect screen

<b>Package price (incl. VAT)</b>	<b>3.250,-</b>
<b>Additional weight (kg)*</b>	<b>38</b>

### SHOWER PACKAGE

PRICE €

Shower fitting  
Shower curtain  
Wooden shower inlay  
Shower basin

<b>Package price (incl. VAT)</b>	<b>590,-</b>
<b>Additional weight (kg)*</b>	<b>8</b>

### AUTARCHY PACKAGE HOT-AIR HEATING

PRICE €

12 V ventilation system  
Battery 95 AH AGM  
Accu  
Voltage indicator for battery  
12 V main switch

<b>Package price (incl. VAT)</b>	<b>1.090,-</b>
<b>Additional weight (kg)*</b>	<b>32.5</b>

△ Not known at the time of publication



#### INFO\*


The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EXTRAS

	PRICE	ADDITIONAL WEIGHT (KG)*	400 F	440 D	450 D	460 E	490 K	530 E	582 K	LIFT 500 K
CHASSIS										
Shiny black alloy wheels with summer tires	590,-	1	O	O	O	O	O	O	O	O
Anti-skid system	1.020,-	4	O	O	O	O	O	O	O	O
Mover single axle (only in connection with autarchy package) <sup>8)</sup>	2.990,-	34	O	O	O	O	O	O	O	O
17" shiny black alloy wheel with summer tires	790,-	5	O	O	O	O	O	O	O	O
PAYLOAD UPGRADE										
Maximum chassis weight 1.500 kg / 1.500 kg Chassis	545,-	6	O	O	—	O	—	—	—	—
Maximum chassis weight 1.600 kg / 1.600 kg Chassis	545,-	1	—	—	O	—	—	—	—	—
Maximum chassis weight 1.700 kg / 1.700 kg Chassis	545,-	6	O	O	—	O	O	—	—	—
Maximum chassis weight 1.800 kg / 1.800 kg Chassis	545,-	6	—	—	O	—	—	O	O	O
Maximum chassis weight 1.500 kg / 1.500 kg Chassis	180,-	6	—	—	—	—	O	—	—	—
Maximum chassis weight 2.000 kg / 2.000 kg Chassis incl. aluminum rims	1.100,-	10	—	—	—	—	—	—	O	O
Maximum chassis weight 1.600 kg / 1.600 kg Chassis	180,-	1	—	—	—	—	—	O	—	—
CABINE EXTERIOR										
Rear hinged window 1,450 x 520 mm incl. blackout blind and insect screen	550,-	4	—	●	●	●	—	O	—	●
Service flap 750 x 300 mm front driver's side	250,-	3	—	—	O	—	—	—	—	—
Service flap 750 x 300 mm rear passenger side	260,-	3	●	—	O	—	—	—	—	O
Service flap 1,000 x 420 mm front driver's side	305,-	4	—	—	—	O	—	—	●	—
Service flap 750 x 300 mm front passenger side	260,-	3	—	—	●	—	—	O	—	—
Opening window side wall 700 x 520 mm incl. blackout blind and insect screen	550,-	3	O	—	—	—	—	—	—	—
Hinged bathroom window (frosted glass) incl. blackout blind and insect screen	270,-	2	O	O	O	O	O	O	●	O
Opening window bow 1,589 x 580 mm incl. blackout blind and insect screen	550,-	12.5	—	—	—	O	O	●	—	—
Opening window bow 900 x 520 mm incl. blackout blind and insect screen	600,-	3	●	O	O	—	—	—	O	—
Sliding window (kitchen) incl. blackout blind and insect screen	260,-	3	—	O	O	O	O	O	O	O
Winterisolation for pop-up roof <sup>9)</sup>	425,-	2	O	O	O	O	O	O	O	—
Pop-up roof	4.990,-	120	O	O	O	O	O	O	O	—
Roof air conditioning (cooling and heating)	2.380,-	35	O	O	O	O	O	O	O	O
CABINE INTERIOR										
Pad Style Fenit <sup>4)</sup>		0	O	O	O	O	O	O	O	O
Premium mattress 130mm incl. slatted base frame	390,-	10	O	O	O	O	O	O	O	O
3-seater bunk bed (load capacity 80 kg), each with its own window <sup>7)</sup>	790,-	21	—	—	—	—	O	—	O	—
GAS/ELECTRICITY SUPPLY										
Exterior socket 230 V / 12 V / TV and gas	390,-	1	O	O	O	O	O	O	O	O
DuoControl with crash sensor	280,-	7	O	O	O	O	O	O	O	O
HEATING										
Air circulation system for gas heating	545,-	2	O	O	O	O	O	O	O	O
Electric auxiliary heater 2 kW	545,-	2	O	O	O	O	O	O	O	O
Electrical floor heating 230 V	745,-	2	O	O	O	O	O	O	O	O

O Optional equipment   — Not possible   ● Standard equipment   ▲ Not known at the time of publication




INFO\*

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



## VIDERO TECHNICAL INFO



VIDERO		450 D	510 E	530 K	580 D	580 K
Price <sup>a)</sup>	€	€33,500.-	€34,900.-	€37,900.-	€37,500.-	€37,500.-
Total length	cm	741	758	811	787	784
Exterior length	cm	620	635	690	658	658
Interior length	cm	550	565	620	588	588
Total width	cm	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>	233 <sup>1)</sup>
Interior roof height max.	cm	198	198	198	198	198
Total height	cm	266 <sup>1)</sup>	266 <sup>1)</sup>	266 <sup>1)</sup>	266 <sup>1)</sup>	266 <sup>1)</sup>
Weight in drivable condition (with standard equipment)*	kg	1305 (1240 - 1370)* <sup>2)</sup>	1375 (1306 - 1444)* <sup>2)</sup>	1491 (1416 - 1566)* <sup>2)</sup>	1441 (1369 - 1513)* <sup>2)</sup>	1390 (1321 - 1460)* <sup>2)</sup>
Manufacturer-specified dimensions for optional equipment*	kg	165	90	151	238	54
Maximum permissible total weight*	kg	1600	1600	1800	1800	1600
Floor, wall, roof thickness	mm	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
Awning size	cm	1034	1050	1105	1073	1073
Berths standard / max.		4 / 6 ○	4 / 6 ○	5 / 8 ○	3 / 5 ○	5 / 8 ○
Front	cm	200 x 149	212 x 148 - 145	200 - 195 x 88 - 88		205 x 144 - 104
Middle	cm			211 x 120	175 x 60	211 x 120
Rear	cm	212 x 132 - 112	208 - 200 x 88 - 88	201 - 197 x 82 - 78	201 x 135 - 110	201 - 197 x 82 - 78
Bunk bed	cm	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○	234 x 133 ○

○ Optional equipment   — Not possible   ● Standard equipment   ▲ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by LMC. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on the last page.

## STANDARD EQUIPMENT

450 D  
510 E  
530 K  
580 D  
580 K

### CHASSIS

Premium-Chassis	●	●	●	●	●
Diagonal swing axle	●	●	●	●	●
Stability supports incl. plate feet	●	●	●	●	●
Anti-sway coupling	●	●	●	●	●
Wheel shock absorbers	●	●	●	●	●
17" shiny black alloy wheel with summer tires	●	●	●	●	●
Tow bar cover	●	●	●	●	●
Support wheel with support load indicator	●	●	●	●	●
Breakdown kit	●	●	●	●	●

### CABINE EXTERIOR

Extra wide entrance door - 70 cm (on all models 2.5 m wide)	●	●	●	●	●
Entrance door with window incl. blackout blind, one-piece incl. waste garbage can	●	●	●	●	●
Framed window incl. blackout blind and insect screen	●	●	●	●	●
Preparation for air conditioning incl. roof reinforcement	●	●	●	●	●
Roof hood clear glass 700 x 500 mm incl. blackout blind and insect screen	●	●	●	●	●
Garage door	—	—	●	—	●
Service flap 650 x 350 mm front driver's side	—	—	—	●	—
Service flap 1,000 x 420 mm Rear passenger side	—	●	—	●	—
Service flap 750 x 300 mm rear passenger side	●	—	—	—	—
Service flap 1,000 x 420 mm front passenger side	—	—	●	—	●
Spare wheel holder in bottle holder	●	●	●	●	●
hinged window incl. blackout blind and insect screen	●	●	●	●	●
Opening window bow 1,589 x 580 mm incl. blackout blind and insect screen	—	—	—	●	—
Rear hinged window 700 x 400 mm incl. blackout blind and insect screen	—	—	●	—	●
Third breaking light	●	●	●	●	●
Roof hood clear glass 400 x 400 mm (sleeping) incl. blackout blind and insect screen	●	●	●	●	●
Automotive tail light	●	●	●	●	●
Bottle crate lid with gas strut	●	●	●	●	●
Roof hood 280 x 280 mm (bathroom) incl. insect screen	—	—	—	●	●
Roof hood clear glass 400 x 400 mm (bathroom) incl. blackout blind and insect screen	●	●	●	—	—
Roof hood clear glass 280 x 280 mm (children's room) incl. blackout blind and insect screen	—	—	●	—	●
Roof hood clear glass 400 x 400 mm (living area) incl. blackout blind and insect screen	●	●	●	●	●

### CABINE INTERIOR

Insect screen door in superstructure door	●	●	●	●	●
Table with pillar for round seating group (layout-dependent)	—	●	●	●	●
Mirror in the bathroom	●	●	●	●	●
Coat hooks	●	●	●	●	●
Storage cupboard	●	●	●	●	●
Slatted frame with disc springs	●	●	●	●	●
Felt organiser	●	●	●	●	●
Conversion of single bed to double bed with extendable slats	—	●	●	—	—
Pad Videro Selenit	●	●	●	●	●
Comfort mattress 150mm with visco foam	●	●	●	●	●
Vanity unit with drawer and soft-close mechanism	●	●	●	●	●
Furniture construction and ventilated upholstery and mattresses for optimum air circulation	●	●	●	●	●
Cold foam mattress 80mm in bunk beds incl. slatted frame	—	—	●	—	●
Gas pressure regulators on the slatted frames of the fixed beds <sup>4)</sup>	●	●	●	●	●
Bunk beds (load capacity 80 kg) each with its own window	—	—	●	—	●
Ergonomic back cushions incl. headrests	●	●	●	●	●
Spacious storage compartments in the front and rear	●	●	●	●	●
Wall-cupboard flaps softclose	●	●	●	●	●

## STANDARD EQUIPMENT

450 D  
510 E  
530 K  
580 D  
580 K

### KITCHEN

Compressor refrigerator 131.5 l with ice compartment	●	●	●	●	●
Hanging rail for optional accessories (incl. 2 hooks)	—	—	●	●	●
Combi hob with 1 induction and 2 gas hobs	●	●	●	●	●
Drawers with self retraction and softclose	●	●	●	●	●
Drawer with cutlery application	●	●	●	●	●
Sink with chopping board cover	●	●	●	●	●

### WATER SUPPLY

Holding tank 25 ltr. with wheels	●	●	●	●	●
Freshwater tank with filler pipe, 44 ltr.	●	●	●	●	●
Modern bathroom sink	●	●	●	●	●
Cassette toilet	●	●	●	●	●
Central waste water drainage	●	●	●	●	●

### MULTIMEDIA

LMC Home	●	●	●	●	●
TV preparation (1x12V socket, 2x antenna cable SAT/TV)	●	●	●	●	●

### GAS/ELECTRICITY SUPPLY

2x USB socket for power rail	●	●	●	●	●
Large number of sockets	●	●	●	●	●
Power input sidewall	●	●	●	●	●
Gas bottle box (for 2 x 11 kg)	●	●	●	●	●
Gas regulator 30 mbar with gas hose (with country-specific adapter)	●	●	●	●	●
Air circulation and cable covers in bed bins	●	●	●	●	●
Smoke alarm	●	●	●	●	●
Reading lights	●	●	●	●	●
LED interior lighting	●	●	●	●	●
LED awning lighting	●	●	●	●	●
400 W transformer	●	●	●	●	●
CEE external connection for 230 V with RCD and charger	●	●	●	●	●
Highlight - rising sun & indirect lighting	●	●	●	●	●
Illuminated roof hatch over seating area	●	●	●	●	●

### HEATING

Gas heater 6 kW circulating air with 10 l boiler and manual control panel	●	●	●	●	●
---	---	---	---	---	---

### LONG LIFE TECHNOLOGY

12-years-tightness-warranty <sup>4)</sup>	●	●	●	●	●
Roof and front / rear section in GRP	●	●	●	●	●
Underbody with high-performance XPS foam and GRP	●	●	●	●	●
GRP for side walls	●	●	●	●	●

PACKS VIDERO


WINTER-PAKET UMLUFT	PRICE €
DuoControl with crash sensor	
Eis EX with monitor (only in combination with DuoControl)	
Electrical floor heating 230 V	
Digital control panel for heating	
6 kW gas heater with digital control panel, 10 liter boiler and 1.8 kW electric heating cartridge	
Package price (incl. VAT)	1.595,-
Additional weight (kg)*	19

SHOWER PACKAGE	PRICE €
Shower fitting	
Shower curtain	
Wooden shower inlay	
Shower basin	
City connection with float (in bottle holder)	
Package price (incl. VAT)	890,-
Additional weight (kg)*	10

AUTARCHY PACKAGE HOT WATER HEATING	PRICE €
Battery 95 AH AGM	
Accu	
Voltage indicator for battery	
12 V main switch	
Package price (incl. VAT)	890,-
Additional weight (kg)*	32.5

LMC HOME SENSOR PACKAGE	PRICE €
Gas level sensor	
Support wheel with support load sensor	
Tire pressure sensors	
Level sensor for fresh and waste water tank	
Package price (incl. VAT)	680,-
Additional weight (kg)*	4

△ Not known at the time of publication

 INFO\*

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

## OPTIONAL EXTRAS

	PRICE	ADDITIONAL WEIGHT (KG)*	450 D	510 E	530 K	580 D	580 K
<b>CHASSIS</b>							
Mover single axle (only in connection with autarchy package) <sup>10) 8)</sup>	2.990,-	34	○	○	○	○	○
Manual entrance step <sup>10)</sup>	360,-	6.5	○	○	○	○	○
Anti-skid system	1.020,-	4	○	○	○	○	○
<b>PAYLOAD UPGRADE</b>							
Maximum chassis weight 1.800 kg / 1.800 kg Chassis	545,-	6	○	○	—	—	○
Maximum chassis weight 2.000 kg / 2.000 kg Chassis	545,-	6	—	○	○	○	○
<b>CABINE EXTERIOR</b>							
Service hatch 1,000 x 420 mm rear driver's side	305,-	4	—	○	—	—	—
Service flap 750 x 300 mm front driver's side	250,-	3	○	—	—	—	—
Service flap 1,000 x 420 mm front driver's side	305,-	4	—	—	○	—	—
Service flap 750 x 300 mm front passenger side	260,-	3	●	○	—	—	—
Hinged bathroom window (frosted glass) incl. blackout blind and insect screen	270,-	2	○	○	○	●	○
Sliding window (kitchen) incl. blackout blind and insect screen	260,-	3	○	○	○	—	○
Opening window bow 900 x 520 mm incl. blackout blind and insect screen	600,-	3	○	—	—	—	○
Opening window bow 1,300 x 520 mm incl. blackout blind and insect screen	600,-	3	—	●	○	—	—
Rear hinged window 1,300 x 520 mm incl. blackout blind and insect screen	550,-	0	●	○	—	—	—
Pop-up roof <sup>6) 5)</sup>	4.990,-	120	○	○	○	○	○
Winterisolation for pop-up roof <sup>9)</sup>	425,-	2	○	○	○	○	○
Panoramic window incl. blackout blind and insect screen	990,-	0	—	○	—	●	—
Roof air conditioning (cooling and heating) <sup>5) 6)</sup>	2.380,-	35	○	○	○	○	○
Illuminated edge strip (Awning page)	290,-	0	○	○	○	○	○
<b>CABINE INTERIOR</b>							
3-seater bunk bed (load capacity 80 kg), each with its own window	790,-	21	—	—	○	—	○
Pad Videro Dravit		0	○	○	○	○	○
<b>KITCHEN</b>							
Oven (for gas) <sup>11)</sup>	795,-	8	○	○	○	○	○
<b>MULTIMEDIA</b>							
Wifi router	1.490,-	2	○	○	○	○	○
<b>GAS/ELECTRICITY SUPPLY</b>							
500W Powerstation	949,-	9	○	○	○	○	○
Exterior socket 230 V / 12 V / TV and gas	390,-	1	○	○	○	○	○
<b>HEATING</b>							
Electrical floor heating 230 V	745,-	2	○	○	○	○	○
Digital control panel for heating	130,-	0.1	○	○	○	○	○

○ Optional equipment   — Not possible   ● Standard equipment   ▲ Not known at the time of publication



### INFO\*

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that LMC uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



## IMPORTANT NOTES

All accessory prices are for factory installation. Additional costs must be expected for subsequent installations. Any change to the factory condition' of your vehicle can lead to an impairment of driving and road safety. Accessories recommended by us, original spare parts are specially developed for your vehicle. Accessories, add-ons, conversions or installation parts not approved by LMC can lead to damage to the vehicle and to impairment of the road safety. Even if an expert opinion, a parts approval or a type approval is available for these parts, there is no presumption for the proper condition of the product. Please understand that no liability can be assumed for damages caused by products not approved by LMC or by non-permitted modifications. The stated mass in running order is a standard value specified in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The technically permissible total mass of the vehicle and the technically permissible total mass on the axle must not be exceeded.

The information about scope of delivery, appearance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of printing and to the European homologation regulations. We reserve the right to make technical changes in design and equipment, deviations in color and errors. Some illustrations include optional equipment that is subject to an extra charge. We expressly reserve the right to make changes. Decorations shown are not included in the scope of delivery. Color deviations are partly due to printing or lighting technology.

All prices stated are recommended non-binding retail prices of LMC incl. VAT at the statutory rate of 19 % (in Euro) ex delivery works without transfer costs. We expressly reserve the right to make changes. Prices in other European countries may differ due to different country-specific standard equipment and different VAT or luxury tax rates. Your trading partner will be pleased to inform you about the prices, taxes and fees applicable to your country.

With the publication of this price list, the validity of all previously published price lists expires.  
The caravan price list is valid from 01.08.2025.

## FOOTNOTES

1) The dimensions given are standard values specified in the type approval procedure. Due to manufacturing tolerances, the actual dimensions may deviate from the values specified above. Deviations of up to  $\pm 3\%$  of the dimensions are legally permissible and possible. The factory installation of optional equipment may influence the specified dimensions of the respective model or floor plan.

2) This weight includes the standard design dimensions according to manufacturer information: Liquid, such as fresh water, gas (aluminium bottles) at 100 % and cable drums, without optional extras. This corresponds to a weight of approx. 31 kg (Sassino, Style, Style Lift, Videro).

3) Connecting the single beds into a double bed including additional mattress piece.

4) All LMC caravan and motorhome bodies come with a twelve-year water ingress warranty, provided the vehicle is serviced annually by an official LMC partner (service charges apply). Please note that this warranty only applies to motorhomes up to a maximum total mileage of 120,000 km.

5) When ordering the roof air conditioning system, the roof reinforcement for the caravan is required.

6) With roof elements ensure that there is limited space for the mounting.

7) Exterior storage door on 490 K, 582 K remains, however no function since the lower bed must not be set up.

8) Installation in front of axle. This enables the spare wheel holder under the chassis.

9) Only in combination with pop-up roof insulating mat for buttoning into the pop-up roof. Not available in combination with hot water heating.

10) Combination of mover and access step must be checked on a case-by-case basis.

11) When the oven is selected, the large capacity drawer is no longer required.

# LEGAL NOTES

## ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for caravans are regulated uniformly throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Regulation No. 1230/2012). We have summarized and explained the essential terminology and legal requirements from this regulation for you below. Our dealers and the LMC configurator on our website are there to give you additional assistance in configuring your vehicle.

### 1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 2,000 kg) is a mass specification defined by the manufacturer that the vehicle must not exceed. You can find information on the technically permissible maximum laden mass of the model you have selected in the technical data. Driving the vehicle even if it exceeds the technically permissible maximum laden mass constitutes an administrative offense that may result in a fine.

### 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids
- the standard equipment, i.e. all equipment and standard fittings included when the vehicle leaves the factory
- the 100% filled water tank or driving tank according to the manufacturer's specifications and a 100% filled aluminum gas cylinder

You can find information on the mass in running order for each model in our sales documents. It is important to note that the value specified in the sales documents for the mass in running order is a standard value determined in the type approval process and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value specified in the sales documents. The legally permissible tolerance is  $\pm 5\%$ . This allows EU legislation to account for the occurrence of certain fluctuations in the mass in running order due to weight fluctuations in components supplied by third-party suppliers as well as process and weather-related factors. These weight deviations can be illustrated using the following example calculation:

- Mass in running order according to sales documents: 1,600 kg
- Legally permissible tolerance of  $\pm 5\%$ : 80 kg
- Legally permissible range of mass in running order: 1,520 kg to 1,680 kg

The specific range of permissible weight deviations can be found in the technical data for each model. LMC makes great efforts to reduce weight variations to the minimum level that is unavoidable for production reasons. Deviations at the upper and lower ends of the range are therefore very rare; however, they cannot be completely ruled out technically, even after carrying out all possible optimization measures. For this reason, LMC checks the actual weight of the vehicle and compliance with the permissible tolerance by weighing each vehicle at the end of the line.

### 3. Optional equipment and actual mass

According to the legal definition, optional equipment (also including special or additional equipment) includes all optional equipment parts not included with the standard equipment that are fitted to the vehicle under the responsibility of the manufacturer – i.e. at the factory – and can be ordered by the customer (e.g. awning, smooth panel, Alde heating system, oven, etc.). For information on the individual or package weights of the optional equipment that can be ordered, please refer to our sales documents. In this meaning, optional equipment does not include other accessories that are retrofitted by you or your dealer personally after the vehicle has been delivered from the factory.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment installed on a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this information also represents a standardized value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of  $\pm 5\%$  (see no. 2), the actual mass may also deviate accordingly from the specified nominal value.

### 4. Payload and minimum payload

The installation of optional equipment is also subject to technical and legal limits: It is only permissible to order an amount of optional equipment for installation at the factory that will leave sufficient free weight for baggage and other accessories (i.e. "payload") without exceeding the technically permissible maximum laden mass. The payload is obtained by deducting the mass in running order (nominal value according to sales documents; see no. 2 above) and the mass of the optional equipment from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum payload for caravans that must remain as a minimum for baggage or other accessories not installed at the factory. This minimum payload is calculated as follows:

Minimum payload in kg  $\geq 10 * (n + L)$

where "n" = maximum number of sleeping berths and "L" = total length of the vehicle body (without drawbar).

The maximum number of sleeping berths corresponds to the actual configured sleeping berths of the individual vehicle.

For a caravan with 6 designated sleeping berths and a total length of the vehicle body of 7 m, the minimum payload is calculated as follows:  $10 \text{ kg} * (6 + 7) = 130 \text{ kg}$ .

To ensure that the minimum payload is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum payload of 130 kg, the total mass of the optional equipment for a vehicle with 6 designated sleeping berths and a mass in running order of 1,750 kg should not exceed 120 kg:

2.000 kg technically permissible maximum laden mass  
- 1.750 kg mass in running order  
- 130 kg minimum payload  
= 120 kg maximum permissible mass for optional equipment

It is important to note that this calculation is based on the standard value for the mass in running order specified in the type approval procedure and does not account for permissible weight deviations for the mass in running order (see no. 2 above).

If the maximum permissible value of 120 kg for the optional equipment is nearly or fully exhausted in this example and the standard value of the mass in running order is applied, it is possible for the minimum payload of 130 kg to be complied with mathematically in the event of an upward weight deviation even if the vehicle has no load capacity. Here is another example calculation for a vehicle with 6 sleeping berths whose actual weighed mass in running order is 2% above the nominal value:

2.000 kg technically permissible maximum laden mass  
- 1.785 kg actual weighed mass in running order (in the example: 2% higher than the specified value of 1,750 kg)  
- 120 kg optional equipment (maximum permissible value)  
= 95 kg actual load capacity (< minimum pay-mass of 130 kg)

To avoid such a situation, LMC further reduces the maximum permissible weight of the total optional equipment that can be ordered depending on the specific model.

The limitation of optional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by LMC. Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum payload is not guaranteed at the end of the line despite this limitation of optional equipment. In order to guarantee the minimum payload even in these cases, LMC will check together with your trading partner and you before delivery of the vehicle whether, for example, the load capacity of your vehicle is to be increased or optional equipment removed.

## **5. Effects of tolerances of the mass in running order on the remaining load capacity**

Irrespective of the minimum payload, you should bear in mind that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a corresponding effect on the remaining load capacity: If, for example, you order our example vehicle with optional equipment with a total weight of 90 kg, the calculated payload based on the standard value for the mass in running order is 160 kg. The load capacity actually available may deviate upwards or downwards from this value due to tolerances. If the mass of your vehicle in running order is approximately 2% higher than specified in the sales documents, the load capacity is reduced from 160 kg to 125 kg:

2.000 kg technically permissible maximum laden mass  
1.785 kg actual weighed mass in running order (in the example: 2% higher than the specified value of 1,750 kg)  
90 kg ordered optional equipment of the specific vehicle  
= 125 kg actual load capacity

In order to ensure that the calculated payload is actually adhered to, you should therefore take the possible and permissible tolerances for the mass in running order into account as a precaution when configuring your vehicle. We also recommend weighing the loaded caravan on a scale before each journey to check whether the technically permissible total weight is adhered to. In addition, we recommend checking the actual drawbar load of the loaded vehicle. This must not be higher than the max. drawbar load of the towing vehicle. Furthermore, the technically permissible maximum laden mass of the vehicle combination must be observed when loaded, i.e. the maximum mass of the combination of your motor vehicle and your caravan.





SEE YOU!

**LMC CARAVAN GMBH & CO. KG** Rudolf-Diesel-Straße 4 D-48336 Sassenberg  
T +49(0)2583/27-0 E [info@lmc-caravan.de](mailto:info@lmc-caravan.de) H [www.lmc-caravan.de](http://www.lmc-caravan.de)  
Münster (Westf.): HRB 9914 USt-IdNr. 126 733 941  
General Managers: Bodo Diller, Timo Ecke

**LMC**